Remark: The pictures and specifications in this catalogue are for reference only. And they are subject to our final confirmation. Topmedi reserves the right of final explanations.

GUANGZHOU TOPMEDI CO., LTD.

Hotline: +86 20 2210 5997 QQ: 2264186188 Email: sales@topmedi.com topmedi@qq.com

Web: http://www.topmedi.com EC REP: MedNet EC-REP GmbH ,Borkstrasse 10, 48163 Muenster ,Germany

Top Medi

SGS Certified Professional Wheelchair Supplier, Topmedi Catologue

CE EU-MDR

Top Medi

GUANGZHOU TOPMEDI CO., LTD.

广州华轮堂医疗器械有限公司



Verified By:

ABOUT US

Guangzhou TOPMEDI CO.,LTD. is a professional company dedicated to providing high-quality medical products to older people and disabled people. Our medical rehab products have been well accepted in more than 80 countries, mainly including Australia, New Zealand, the United Kingdom, France, Spain, United Arab Emirates, Saudi Arabia, Asian countries and most South American countries. Almost all customers who have worked with us have praised our products, and we have helped millions of customers to have high quality products, we are proud of this.

Now most of products have received the MDR registration from Europe, and all products are ISO13485 verified. As a member of the China National Wheelchair Committee, and a certified company by SGS (SGS Certification Services), we have strict quality control and are committed to providing high-quality products. TOPMEDI has developed electronic control systems and power systems for traditional manual wheelchairs, using energy-efficient and environmentally friendly lithium-ion batteries, and high-strength aluminum frames. Every product from TOPMEDI is the promise for our customer. TOPMEDI would like to join hands with customers all around the world for our promising furture.



QUALITY FIRST





KEEP INNOVATING

LIFETIME FOCUS






ISO「CN14/30342」



C E「No.02515」



ELECTRIC WHEELCHAIR, WALKING AIDS, ROLLATOR,
MANUAL WHEELCHAIRMDR CONFIRMATION「00233773」「00281539」「00233772」



RoHS「EBO1903146-V362-1A」



TUV「17425347_T」



INTERTEK「20991795_T」



BV「MIC-ASI161007」



GS1 CHINA MEMBERSHIP LICENSE



TOPMEDI MISSION

To supply the most suitable medical products for global customers to build a platform for every member of topmedi to realize the value of life.

TOPMEDI ASPIRATIONS AND PROSPECTS

To supply rehabilitation and first aid solutions for global customers.

FAMILY + SCHOOL + ARMY

A big warm family.
A training base for outstanding people.
A high execution team.

TOPMEDI VALUES

INTEGRITY: Honesty, magnanimous words and deeds.
SOLIDARITY: No perfect person, but a perfect team.
EXCELLENCE: Focus, dedication, meticulous.
PASSION: Optimistic, never give up.
WIN-WIN: Create and share value with customers.
EMBRACE CHANGE: Welcome change and innovation.

TOPMEDI SLOGAN

Free walk, amazing life!

SOCIAL ACHIEVEMENT

Beijing tv special reporting enterprises.





















CONTENTS

01 Electric Wheelchair 1-28

02 Aluminum Wheelchair 29-48

03 Mobility Scooter 49-56

04 Steel Wheelchair 57-64

05 Children Wheelchair 65-82

06 Leisure Wheelchair 83-90

07 Sports Wheelchair 91-96

08 Reclining Wheelchair 97-100

09 Waking Aids 101-114

10 Patient Lift 115-120

11 Bath Bench 121-124

12 Commode 125-132

13 Rehabilitation Aid 133-134

TEW218

- Only 11kg (Net weight without battery)
- The ultimate carbon fiber suitcase wheelchair
- Led lcd display : Real-time data at your fingertips
- Fits perfectly in car trunks and small spaces–portable like a suitcas









OPTIONAL ACCESSORIES

- Side storage bag

Frame Material :	Carbon fiber	Motor Power :	150/250W	Battery Type :	Lithium battery
Max. Load :	100 kg	Forward Speed :	1-4.5 km/h	Reverse Speed :	1-2.5 km/h
Turning Radius :	-	Climbing Angle :	9°	Driving Range :	10 km
Seat Width :	41 cm	Seat Height :	45 cm	Backrest Height :	45 cm
Front Wheel Dia. :	6 inch	Rear Wheel Dia. :	6/8 inch	Dim. (Unfolded) :	86×50×86 cm
Dim. (Folded) :	59×29×45cm	Packing Dim. :	64×41×51 cm	G.W. :	14.2 kgs
N.W.	12.2 kgs	N.W. (Without Battery) :	11 kgs	Load Qty (20GP/40HQ) :	190/480 pcs

TEW002

- Foldable strengthen steel frame design with drop back handle
- 250W×2Pcs motor with electric brake/electromagnetic brake
- Double X bar for heavy loading performance
- Flip-up armrest, adjustable and detachable footrest





Frame Material :	Carbon steel frame	Motor Power :	250W×2
Battery Type :	24V 12Ah lead acid battery	Max. Load :	120 kg
Reverse Speed :	1-6 km/h	Forward Speed :	1-6 km/h
Climbing Angle :	6°	Turning Radius :	120 cm
Seat Width :	45/51/56 cm	Driving Range :	20 km
Backrest Height :	40 cm	Seat Height :	52 cm
Rear Wheel Dia. :	18 inch	Front Wheel Dia. :	10 inch
Dim. (Folded) :	77×37×76 cm	Dim. (Unfolded) :	111×63×96.5 cm
G.W. :	56 kgs	Packing Dim. :	88×42×83 cm
N.W. (Without Battery) :	41.5 kgs	N.W. :	50 kgs
Load Qty (20GP/40HQ) :			78/215 pcs

OPTIONAL ACCESSORIES

- Side storage bag
- Dinning table
- Wireless remote control
- Rear attendant controller
- Option lithium/Lead acid battery : 24V 12/20/32A
- Option upgrade to electromagnetic brake
- Option upgrade to aluminum frame

TEW002(EL)

- Foldable aluminum frame design with drop back handle
- Recharging available via battery box and controller
- Flip-up armrest, adjustable and detachable footrest
- Controller can be exchanged from right side to the left





Frame Material :	Aluminum frame	Motor Power :	250W×2
Battery Type :	Lithium/Lead acid battery	Max. Load :	100 kg
Reverse Speed :	1-6 km/h	Forward Speed :	1-6 km/h
Climbing Angle :	6°	Turning Radius :	120 cm
Seat Width :	35/41/45 cm	Driving Range :	20 km
Backrest Height :	40 cm	Seat Height :	52 cm
Rear Wheel Dia. :	16 inch	Front Wheel Dia. :	8 inch
Dim. (Folded) :	77×39×76 cm	Dim. (Unfolded) :	110×64.5×96.5 cm
G.W. :	46 kgs	Packing Dim. :	78×47×82 cm
N.W. (Without Battery) :	31.5 kgs	N.W. :	40 kgs
Load Qty (20GP/40HQ) :			80/220 pcs

OPTIONAL ACCESSORIES

- Side storage bag
- Dinning table
- Wireless remote control
- Rear attendant controller
- Option lithium/Lead acid battery : 24V 12/20/32A

TEW005

- High-Strength aluminum alloy chair frame
- Ergonomic height-adjustable armrests & removable footrests
- 320W×2 Powerful Taiwan-technology worm-gear motors
- 360° Sensitive smart joystick controller





Frame Material :	Aluminum frame	Motor Power :	320W×2
Battery Type :	Lithium battery 20Ah	Max. Load :	120 kg
Reverse Speed :	1-3 km/h	Forward Speed :	1-6 km/h
Climbing Angle :	12°	Turning Radius :	85 cm
Seat Width :	46 cm	Driving Range :	16-20 km
Backrest Height :	43 cm	Seat Height :	52 cm
Rear Wheel Dia. :	12.5 inch	Front Wheel Dia. :	8 inch
Dim. (Folded) :	80×36×77 cm	Dim. (Unfolded) :	110×36×93 cm
G.W. :	40 kgs	Packing Dim. :	80×40×78 cm
N.W. (Without Battery) :	31.5 kgs	N.W. :	34.5 kgs
Load Qty (20GP/40HQ) :			123/270 pcs

OPTIONAL ACCESSORIES

- PG joystick controller
- Option seat width : 16/18/20inches
- Option 24Ah lead acid battery
- Option lithium battery : 12/20/24/26/40/52A

TEW007DS

- 250W×2Pcs motor with electromagnetic brake
- Built-in adjustable backrest tension belt to ease backpain
- Controller can be changed to left or right as per user need
- Long driving distance with detachable lithium battery 24V 12/20/32Ah option





Frame Material :	Aluminum frame	Motor Power :	250W×2
Battery Type :	Lithium battery 20Ah	Max. Load :	120 kg
Reverse Speed :	1-6 km/h	Forward Speed :	1-6 km/h
Climbing Angle :	6°	Turning Radius :	120 cm
Seat Width :	45 cm	Driving Range :	20 km
Backrest Height :	43 cm	Seat Height :	46 cm
Rear Wheel Dia. :	10 inch	Front Wheel Dia. :	8 inch
Dim. (Folded) :	60×35×76 cm	Dim. (Unfolded) :	98×61×94.5 cm
G.W. :	27.9 kgs	Packing Dim. :	65×44×84 cm
N.W. (Without Battery) :	20.9 kgs	N.W. :	23.9 kgs
Load Qty (20GP/40HQ) :			100/275 pcs

OPTIONAL ACCESSORIES

- Side storage bag
- Dinning table
- Wireless remote control
- Rear attendant controller
- Adjustable headrest
- Option lithium battery : 24V 12/20/32A

TEW010

- Cost-Effective steel frame electric wheelchair
- Dual 180-watt high-efficiency motors deliver a safe maximum climbing angle of 12°
- Flip-up armrests & detachable footrests for easy transfer
- 360° Intelligent joystick controller





Frame Material :	Steel frame	Motor Power :	180W×2
Battery Type :	Lead-Acid battery 12Ah	Max. Load :	100 kg
Reverse Speed :	1-3 km/h	Forward Speed :	1-6 km/h
Climbing Angle :	12°	Turning Radius :	85 cm
Seat Width :	46 cm	Driving Range :	12-15 km
Backrest Height :	42 cm	Seat Height :	52 cm
Rear Wheel Dia. :	12 inch	Front Wheel Dia. :	8 inch
Dim. (Folded) :	73×35×76 cm	Dim. (Unfolded) :	110×62×96 cm
G.W. :	36 kgs	Packing Dim. :	78×36×78 cm
N.W. (Without Battery) :	24 kgs	N.W. :	32 kgs
Load Qty (20GP/40HQ) :			126/270 pcs

OPTIONAL ACCESSORIES

- Frame optional : aluminum
- Seat width : 16/18/20inches
- Option 12/24Ah lithium battery

TEW108LA

- 250W×2Pcs motor with electric brake/electromagnetic brake
- Flip-up armrest, adjustable and detachable footrest
- Foldable strengthen steel frame fromdesign with drop back handle
- Controller can be exchanged fromfrom right side to the left





Frame Material :	Carbon steel frame	Motor Power :	250W×2
Battery Type :	24V 12Ah lead acid battery	Max. Load :	120 kg
Reverse Speed :	1-6 km/h	Forward Speed :	1-6 km/h
Climbing Angle :	6°	Turning Radius :	120 cm
Seat Width :	45/51/56 cm	Driving Range :	20 km
Backrest Height :	41 cm	Seat Height :	50 cm
Rear Wheel Dia. :	22 inch	Front Wheel Dia. :	8 inch
Dim. (Folded) :	80.5×48×72 cm	Dim. (Unfolded) :	108.5×65.5×91.5 cm
G.W. :	45.7 kgs	Packing Dim. :	88×42×83 cm
N.W. (Without Battery) :	31.2 kgs	N.W. :	39.7 kgs
Load Qty (20GP/40HQ) :			78/215 pcs

OPTIONAL ACCESSORIES

- Side storage bag
- Dinning table
- Wireless remote control
- Rear attendant controller
- Option upgrade to electromagnetic brake
- Option upgrade to aluminum frame
- Option upgrade to worm-gear motor
- Option lithium/Lead acid battery : 24V 12/20/32Ah

TEW110A

- 250W×2Pcs motor with electric brake/electromagnetic brake
- Foldable strengthen steel frame design with drop back handle
- Flip-up armrest, adjustable and detachable footrest
- Double X bar for heavy loading performance





Frame Material :	Carbon steel frame	Motor Power :	250W×2
Battery Type :	24V 12Ah lead acid battery	Max. Load :	120 kg
Reverse Speed :	1-6 km/h	Forward Speed :	1-6 km/h
Climbing Angle :	6°	Turning Radius :	120 cm
Seat Width :	45/51 cm	Driving Range :	20 km
Backrest Height :	40 cm	Seat Height :	50 cm
Rear Wheel Dia. :	12 inch	Front Wheel Dia. :	8 inch
Dim. (Folded) :	73.5×37×72.5 cm	Dim. (Unfolded) :	114×64×94 cm
G.W. :	56 kgs	Packing Dim. :	78×42×82cm
N.W. (Without Battery) :	31.5 kgs	N.W. :	40 kgs
Load Qty (20GP/40HQ) :			90/245 pcs

OPTIONAL ACCESSORIES

- Side storage bag
- Dinning table
- Wireless remote control
- Rear attendant controller
- Option upgrade to electromagnetic brake
- Option upgrade to aluminum frame
- Option upgrade to worm-gear motor
- Option lithium/Lead acid battery : 24V 12/20/32A

TEW110A(TLE)

- 250W×2Pcs worm motor with elctromagnetic brake
- Foldable aluminum frame design with drop back handle
- Flip-up armrest, adjustable and detachable footrest
- Controller can be exchanged from right side to the left





Frame Material :	Aluminum frame	Motor Power :	250W×2
Battery Type :	24V 20Ah lead acid battery	Max. Load :	120 kg
Reverse Speed :	1-6 km/h	Forward Speed :	1-6 km/h
Climbing Angle :	6°	Turning Radius :	120 cm
Seat Width :	45 cm	Driving Range :	20 km
Backrest Height :	39.5 cm	Seat Height :	49 cm
Rear Wheel Dia. :	12 inch	Front Wheel Dia. :	8 inch
Dim. (Folded) :	78×32×75.5 cm	Dim. (Unfolded) :	106×61×94 cm
G.W. :	50 kgs	Packing Dim. :	82×40.5×80 cm
N.W. (Without Battery) :	28 kgs	N.W. :	43 kgs
Load Qty (20GP/40HQ) :			90/245 pcs

OPTIONAL ACCESSORIES

- Side storage bag
- Dinning table
- Wireless remote control
- Rear attendant controller
- Option lithium/Lead acid battery : 24V 20/32A

TEW111AB

- Brushless motor 180W×2 with breathable mesh seat back cushion
- Aluminum alloy frame with breathable mesh seat back cushion
- Upward flip armrest with small folding size
- Breathable mesh headrest with manual 5-steps adjustable backrest





Frame Material :	Aluminum frame	Motor Power :	180W×2
Battery Type :	Lithium battery 6Ah	Max. Load :	100 kg
Reverse Speed :	1-3 km/h	Forward Speed :	1-6 km/h
Climbing Angle :	9°	Turning Radius :	-
Seat Width :	46 cm	Driving Range :	10-15 km
Backrest Height :	50 cm	Seat Height :	50 cm
Rear Wheel Dia. :	12 inch	Front Wheel Dia. :	6 inch
Dim. (Folded) :	-	Dim. (Unfolded) :	102×63×96 cm
G.W. :	20 kgs	Packing Dim. :	74×39×79 cm
N.W. (Without Battery) :	-	N.W. :	17 kgs
		Load Qty (20GP/40HQ) :	115/285 pcs

OPTIONAL ACCESSORIES

- Side storage bag
- Dinning table
- Wireless remote control
- Option upgrade to electromagnetic brake

TEW112ABE

- Compact foldable aluminum frame with interleaved motor design
- 220W×2Pcs brushlessmotor with elctromagnetic brake
- Side battery design more easy for folding
- Flip-up armrest, adjustable and detachable footrest





Frame Material :	Aluminum frame	Motor Power :	220W×2
Battery Type :	6Ah×2 (lithium battery)	Max. Load :	100 kg
Reverse Speed :	1-6 km/h	Forward Speed :	1-6 km/h
Climbing Angle :	6°	Turning Radius :	120 cm
Seat Width :	44 cm	Driving Range :	20 km
Backrest Height :	47.5 cm	Seat Height :	47.5 cm
Rear Wheel Dia. :	12 inch	Front Wheel Dia. :	7 inch
Dim. (Folded) :	67×31×70.5 cm	Dim. (Unfolded) :	95.5×58.5×90 cm
G.W. :	26.6 kgs	Packing Dim. :	69×30.5×76 cm
N.W. (Without Battery) :	17.6 kgs	N.W. :	20.6 kgs
		Load Qty (20GP/40HQ) :	150/412 pcs

OPTIONAL ACCESSORIES

- Side storage bag
- Dinning table
- Wireless remote control
- Rear attendant controller
- Adjustable headrest
- Option lithium battery : 24V 12/20/32A

TEW112B

- Aluminum alloy material with carbon fiber painting frame
- Brushed motor 180W×2 with leather seat back cushion
- Quick detachable battery, small folding volume
- Can be equipped a remote controller





Frame Material :	Aluminum frame	Motor Power :	180W×2
Battery Type :	Lithium battery 10Ah	Max. Load :	100 kg
Reverse Speed :	1-3 km/h	Forward Speed :	1-6 km/h
Climbing Angle :	9°	Turning Radius :	111 cm
Seat Width :	42 cm	Driving Range :	10-15 km
Backrest Height :	50 cm	Seat Height :	55 cm
Rear Wheel Dia. :	12 inch	Front Wheel Dia. :	7 inch
Dim. (Folded) :	60×42×98 cm	Dim. (Unfolded) :	99×56×98 cm
G.W. :	25 kgs	Packing Dim. :	61×42×90 cm
N.W. (Without Battery) :	21.5 kgs	N.W. :	23.5 kgs
Load Qty (20GP/40HQ) :			110/275 pcs

OPTIONAL ACCESSORIES

- Side storage bag
- Wireless remote control
- Rear attendant controller
- Option lithium battery : 6/10/20A

TEW112C

- Brushed motor 180W×2 with electromagnetic brake
- Aluminum alloy frame with breathable mesh headrest
- Flip-up armrest with Breathable mesh seat back cushion
- Front wheel shock absorber spring







Frame Material :	Aluminum frame	Motor Power :	180W×2
Battery Type :	Lithium battery 6Ah	Max. Load :	100 kg
Reverse Speed :	1-3 km/h	Forward Speed :	1-6 km/h
Climbing Angle :	9°	Turning Radius :	-
Seat Width :	40 cm	Driving Range :	10-15 km
Backrest Height :	50 cm	Seat Height :	54 cm
Rear Wheel Dia. :	12 inch	Front Wheel Dia. :	7 inch
Dim. (Folded) :		Dim. (Unfolded) :	98×61×95 cm
G.W. :	25 kgs	Packing Dim. :	63×33×87 cm
N.W. (Without Battery) :	19.6 kgs	N.W. :	21.6 kgs
Load Qty (20GP/40HQ) :			140/350 pcs

OPTIONAL ACCESSORIES

- Option lithium battery : 6/10/20A

TEW112E

- Aluminum alloy frame with carbon fiber painting
- 180W×2 Servo motor (brushless motor)
- Can be equipped with the rear controller and remote controller
- Leather seat back cushion





Frame Material :	Aluminum frame	Motor Power :	180W×2
Battery Type :	Lithium battery 6Ah	Max. Load :	100 kg
Reverse Speed :	1-3 km/h	Forward Speed :	1-5.2 km/h
Climbing Angle :	9°	Turning Radius :	105 cm
Seat Width :	42 cm	Driving Range :	10-15 km
Backrest Height :	50 cm	Seat Height :	52 cm
Rear Wheel Dia. :	10 inch	Front Wheel Dia. :	7 inch
Dim. (Folded) :	58×32×92 cm	Dim. (Unfolded) :	98×55×94 cm
G.W. :	18.5 kgs	Packing Dim. :	56×36×81 cm
N.W. (Without Battery) :	15.3 kgs	N.W. :	16.5 kgs
Load Qty (20GP/40HQ) :			160/390 pcs

OPTIONAL ACCESSORIES

- Side storage bag
- Dinning table
- Wireless remote control
- Rear attendant controller
- Option lithium battery : 6/10/20A

TEW112E PLUS

- Aluminum frame with mesh seat back cushion
- Brush Motor 180W×2 with 10Ah lithium battery
- Quick-disassembly Battery, small folding volume
- Upturn Handrail





Frame Material :	Aluminum frame	Motor Power :	180W×2
Battery Type :	Lithium battery 10Ah	Max. Load :	100 kg
Reverse Speed :	1-3 km/h	Forward Speed :	1-6 km/h
Climbing Angle :	9°	Turning Radius :	110 cm
Seat Width :	41 cm	Driving Range :	10-15 km
Backrest Height :	50.5 cm	Seat Height :	55 cm
Rear Wheel Dia. :	12 inch	Front Wheel Dia. :	7 inch
Dim. (Folded) :	61×37×98 cm	Dim. (Unfolded) :	112×60×98 cm
G.W. :	23.2 kgs	Packing Dim. :	63×33×87 cm
N.W. (Without Battery) :	18.2 kgs	N.W. :	20.2 kgs
Load Qty (20GP/40HQ) :			140/350 pcs

OPTIONAL ACCESSORIES

- Option lithium battery : 6/10/20A

TEW112LAE

- Electric wheelchair with carbon fiber water transfer printing aluminum
- Lightweight domestic joystick controller with 180W×2 powerful dual motors
- Flip-up armrests & detachable footrests for easy transfer
- Ergonomic comfortable seat & back cushion




Frame Material :	Aluminum frame	Motor Power :	180W×2
Battery Type :	Lithium battery 10Ah	Max. Load :	100 kg
Reverse Speed :	1-3 km/h	Forward Speed :	1-6 km/h
Climbing Angle :	12°	Turning Radius :	85 cm
Seat Width :	41 cm	Driving Range :	10-15 km
Backrest Height :	43 cm	Seat Height :	52 cm
Rear Wheel Dia. :	12 inch	Front Wheel Dia. :	8 inch
Dim. (Folded) :	72×31×73 cm	Dim. (Unfolded) :	95×57×94 cm
G.W. :	23 kgs	Packing Dim. :	69×35×76 cm
N.W. (Without Battery) :	18.5 kgs	N.W. :	21 kgs
Load Qty (20GP/40HQ) :			144/306 pcs

OPTIONAL ACCESSORIES

- Side storage bag
- Rear wheel, front wheel
- Option lithium battery : 6/10/20A

TEW119

- Controller from New Zealand with dual worm-gear motor of 250W offer stronger mobility power
- Dynamic intelligent automatic standing/ automatic reclining backrest/automatic elevating footrest functions meet user differ requirement
- Adjustable legrest height, knee support position to offer max comfort





Frame Material :	Carbon steel frame	Motor Power :	250W
Battery Type :	24V 32Ah lead acid battery	Max. Load :	120 kg
Reverse Speed :	1-6 km/h	Forward Speed :	1-6 km/h
Climbing Angle :	6°	Turning Radius :	120 cm
Seat Width :	45 cm	Driving Range :	20 km
Backrest Height :	65 cm	Seat Height :	51 cm
Rear Wheel Dia. :	12 inch	Front Wheel Dia. :	10 inch
Dim. (Folded) :	-	Dim. (Unfolded) :	111×63×128 cm
G.W. :	125 kgs	Packing Dim. :	106×70×130 cm
N.W. (Without Battery) :	91.5 kgs	N.W. :	115 kgs
Load Qty (20GP/40HQ) :			25/70 pcs

OPTIONAL ACCESSORIES

- Side storage bag
- Dinning table

TEW121LF1(B)

- 250W×2Pcs motor with electric brake/electromagnetic brake
- Manual adjustable reclining backrest and elevating legrest
- Foldable strengthen steel frame design with drop back handle
- Detachable headrest





Frame Material :	Carbon steel frame	Motor Power :	250W×2
Battery Type :	24V 12Ah lead acid battery	Max. Load :	100 kg
Reverse Speed :	1-6 km/h	Forward Speed :	1-6 km/h
Climbing Angle :	6°	Turning Radius :	120 cm
Seat Width :	45/51 cm	Driving Range :	20 km
Backrest Height :	39.5 cm	Seat Height :	50 cm
Rear Wheel Dia. :	22 inch	Front Wheel Dia. :	8 inch
Dim. (Folded) :	80×42×73 cm	Dim. (Unfolded) :	110×67×93 cm
G.W. :	52 kgs	Packing Dim. :	87.5×41.5×83 cm
N.W. (Without Battery) :	37.5 kgs	N.W. :	46 kgs
Load Qty (20GP/40HQ) :			80/220 pcs

OPTIONAL ACCESSORIES

- Side storage bag
- Dinning table
- Wireless remote control
- Rear attendant controller
- Option upgrade to electromagnetic brake
- Option lithium/Lead acid battery : 24V 12/20/32A

TEW121LF1(M)

- 250W×2Pcs motor with electric brake/electromagnetic brake
- Manual adjustable reclining backrest and elevating legrest
- Foldable strengthen steel frame design with double X bar for heavy loading
- Detachable headrest





Frame Material :	Carbon Steel Frame	Motor Power :	250W×2
Battery Type :	24V 12Ah lead acid battery	Max. Load :	100 kg
Reverse Speed :	1-6 km/h	Forward Speed :	1-6 km/h
Climbing Angle :	6°	Turning Radius :	120 cm
Seat Width :	45/51 cm	Driving Range :	20 km
Backrest Height :	40 cm	Seat Height :	53 cm
Rear Wheel Dia. :	18 inch	Front Wheel Dia. :	10 inch
Dim. (Folded) :	77.5×38×76 cm	Dim. (Unfolded) :	110×63.5×98 cm
G.W. :	55 kgs	Packing Dim. :	88×44×79.5 cm
N.W. (Without Battery) :	40.5 kgs	N.W. :	49 kgs
Load Qty (20GP/40HQ) :			78/215 pcs

OPTIONAL ACCESSORIES

- Side storage bag
- Dinning table
- Wireless remote control
- Rear attendant controller
- Option upgrade to electromagnetic brake
- Option lithium/Lead acid battery : 24V 12/20/32A

TEW121LF1 (afabB)

- Electric auto adjustable reclining backrest and elevating legrest
- Foldable strengthen steel frame design with double X bar for heavy loading
- 250W×2Pcs motor with electric brake/electromagnetic brake
- Detachable headrest





Frame Material :	Carbon Steel Frame	Motor Power :	250W×2
Battery Type :	24V 12Ah lead acid battery	Max. Load :	100 kg
Reverse Speed :	1-6 km/h	Forward Speed :	1-6 km/h
Climbing Angle :	6°	Turning Radius :	120 cm
Seat Width :	45/51 cm	Driving Range :	20 km
Backrest Height :	39.5 cm	Seat Height :	50 cm
Rear Wheel Dia. :	22 inch	Front Wheel Dia. :	8 inch
Dim. (Folded) :	80×42×73 cm	Dim. (Unfolded) :	110×67×93 cm
G.W. :	53 kgs	Packing Dim. :	87.5×41.5×83 cm
N.W. (Without Battery) :	39.5 kgs	N.W. :	48 kgs
Load Qty (20GP/40HQ) :			80/220 pcs

OPTIONAL ACCESSORIES

- Side storage bag
- Dinning table
- Wireless remote control
- Rear attendant controller
- Option upgrade to electromagnetic brake
- Option lithium/Lead acid battery : 24V 12/20/32A

TEW121LF1 (afabM)

- Electric auto adjustable reclining backrest and elevating legrest
- Foldable strengthen steel frame design with double X bar for heavy loading
- 250W×2Pcs motor with electric brake/electromagnetic brake
- Detachable headrest





Frame Material :	Carbon steel frame	Motor Power :	250W×2
Battery Type :	24V 12Ah lead acid battery	Max. Load :	100 kg
Reverse Speed :	1-6 km/h	Forward Speed :	1-6 km/h
Climbing Angle :	6°	Turning Radius :	120 cm
Seat Width :	45/51 cm	Driving Range :	20 km
Backrest Height :	39.5 cm	Seat Height :	52.5 cm
Rear Wheel Dia. :	18 inch	Front Wheel Dia. :	10 inch
Dim. (Folded) :	77.5×38×76 cm	Dim. (Unfolded) :	110×63.5×98 cm
G.W. :	56 kgs	Packing Dim. :	88×44×79.5 cm
N.W. (Without Battery) :	42.5 kgs	N.W. :	51 kgs
Load Qty (20GP/40HQ) :			78/215 pcs

OPTIONAL ACCESSORIES

- Side storage bag
- Dinning table
- Wireless remote control
- Rear attendant controller
- Option lithium/Lead acid battery : 24V 12/20/32A

TEW002G

- Foldable reinforced steel frame with drop-back handle
- Dual 250W motors with electric / electromagnetic brake
- Flip-up armrest, adjustable & detachable footrest
- Left / right interchangeable controller





Frame Material :	Carbon steel frame	Motor Power :	250W×2
Battery Type :	24V 20Ah lead acid battery	Max. Load :	100 kg
Reverse Speed :	1-6 km/h	Forward Speed :	1-6 km/h
Climbing Angle :	6°	Turning Radius :	120 cm
Seat Width :	45 cm	Driving Range :	20 km
Backrest Height :	39 cm	Seat Height :	51 cm
Rear Wheel Dia. :	16 inch	Front Wheel Dia. :	10 inch
Dim. (Folded) :	76×37.5×73 cm	Dim. (Unfolded) :	115×63×93 cm
G.W. :	46.9 kgs	Packing Dim. :	88×42×84 cm
N.W. (Without Battery) :	42.2 kgs	N.W. :	33.7 kgs
Load Qty (20GP/40HQ) :			78/215 pcs

OPTIONAL ACCESSORIES

- Side storage bag
- Dinning table
- Wireless remote control
- Rear attendant controller
- Option lithium/Lead acid battery : 24V 12/20/32A

TEW123K

- 4-way shock absorption+flexible deceleration, preventing tipping
- High-brightness headlight ensures safe night driving
- Angle-adjustable backrest for greater comfort
- High-performance worm-gear motor enables instant-on-release stop and slope anti-rollback





Frame Material :	Steel frame	Motor Power :	200W×2
Battery Type :	28Ah lead-acid	Max. Load :	100 kg
Reverse Speed :	1-4 km/h	Forward Speed :	1-7 km/h
Climbing Angle :	12°	Turning Radius :	150 cm
Seat Width :	41/42 cm	Driving Range :	20 km
Backrest Height :	41/42 cm	Seat Height :	55 cm
Rear Wheel Dia. :	12.5 inch	Front Wheel Dia. :	8 inch
Dim. (Folded) :	-	Dim. (Unfolded) :	107×67×95 cm
G.W. :	70.8 kgs	Packing Dim. :	78×68×69 cm
N.W. (Without Battery) :	37 kgs	N.W. :	63 kgs
Load Qty (20GP/40HQ) :			65/165 pcs

OPTIONAL ACCESSORIES

TEW131GC

- Adjustable and detachable armrest with reclining hihg back
- Detachable and elevating footrest with rubber foam castor and drive rear wheels
- Electrical lifting seat and tilting seat





Frame Material :	Steel frame	Motor Power :	200W×2
Battery Type :	40Ah lead-acid	Max. Load :	110 kg
Reverse Speed :	1-7 km/h	Forward Speed :	1-7 km/h
Climbing Angle :	12°	Turning Radius :	87 cm
Seat Width :	45 cm	Driving Range :	25 km
Backrest Height :	50 cm	Seat Height :	59 cm
Rear Wheel Dia. :	12.5 inch	Front Wheel Dia. :	8 inch
Dim. (Folded) :		Dim. (Unfolded) :	108×64×106 cm
G.W. :	98.5 kgs	Packing Dim. :	85×65×75 cm
N.W. (Without Battery) :	82 kgs	N.W. :	91.7 kgs
Load Qty (20GP/40HQ) :			60/155 pcs

OPTIONAL ACCESSORIES

TEW139

- Powder Coated Stee Frame Power stand-up wheelchair
- Flip-up armrest with single controller for both driving & seat lifting
- Strong rubber foam drive wheels





Frame Material :	Steel frame	Motor Power :	200W×2
Battery Type :	28Ah lead-acid	Max. Load :	100 kg
Reverse Speed :	1-7 km/h	Forward Speed :	1-7 km/h
Climbing Angle :	12°	Turning Radius :	87 cm
Seat Width :	46 cm	Driving Range :	15 km
Backrest Height :	53 cm	Seat Height :	52 cm
Rear Wheel Dia. :	12.5 inch	Front Wheel Dia. :	8 inch
Dim. (Folded) :		Dim. (Unfolded) :	139×59×102 cm
G.W. :	85 kgs	Packing Dim. :	97×60×68 cm
N.W. (Without Battery) :	58 kgs	N.W. :	68 kgs
Load Qty (20GP/40HQ) :			65/165 pcs

OPTIONAL ACCESSORIES

THE159

- Manual control of movement
- Power control of standing
- Quick tire removal
- Detachable backrest





Frame Material :	Carbon steel frame	Motor Power :	51.2W
Battery Type :	Lithium battery 2Ah	Max. Load :	100 kg
Reverse Speed :	-	Forward Speed :	
Climbing Angle :	-	Turning Radius :	90 cm
Seat Width :	46 cm	Driving Range :	
Backrest Height :	42 cm	Seat Height :	58 cm
Rear Wheel Dia. :	24.5 inch	Front Wheel Dia. :	8 inch
Dim. (Folded) :	-	Dim. (Unfolded) :	114×65×104 cm
G.W. :	39 kgs	Packing Dim. :	110×69×67 cm
N.W. (Without Battery) :	-	N.W. :	34.5 kgs
Load Qty (20GP/40HQ) :			-

OPTIONAL ACCESSORIES

TEW203

- Foldable steel frame design with drop back handle
- With double X bar for heavy loading performance
- Flip-up armrest, adjustable and detachable footrest
- 250W×2Pcs motor with electric brake




Frame Material :	Carbon steel frame	Motor Power :	250W×2
Battery Type :	24V 12 Ah lead acid battery	Max. Load :	100 kg
Reverse Speed :	1-6 km/h	Forward Speed :	1-6 km/h
Climbing Angle :	6°	Turning Radius :	120 cm
Seat Width :	44 cm	Driving Range :	20 km
Backrest Height :	41 cm	Seat Height :	47.5 cm
Rear Wheel Dia. :	12 inch	Front Wheel Dia. :	7 inch
Dim. (Folded) :	67×31×70.5 cm	Dim. (Unfolded) :	77×65.5×90 cm
G.W. :	30 kgs	Packing Dim. :	69×30.5×76 cm
N.W. (Without Battery) :	21 kgs	N.W. :	24.8 kgs
Load Qty (20GP/40HQ) :			160/415 pcs

OPTIONAL ACCESSORIES

- Side storage bag
- Dinning table
- Wireless remote control
- Rear attendant controller

TEW211

- Easy fold ultralight carbon fiber frame
- Brushless motor 220W×2Pcs with electromagnetic brake
- PU solid tire strpng & rigid for outdoor mobility
- Intelligent Mini brushless controller




Frame Material :	Carbon fiber frame	Motor Power :	220W×2
Battery Type :	Lithium battery 20Ah	Max. Load :	120 kg
Reverse Speed :	1-6 km/h	Forward Speed :	1-4.5 km/h
Climbing Angle :	3°	Turning Radius :	90 cm
Seat Width :	40cm	Driving Range :	20 km
Backrest Height :	53 cm	Seat Height :	45.5 cm
Rear Wheel Dia. :	8.5 inch	Front Wheel Dia. :	7 inch
Dim. (Folded) :	59.5×32×70 cm	Dim. (Unfolded) :	92.5×59.5×95 cm
G.W. :	21 kgs	Packing Dim. :	66.5×39×80 cm
N.W. (Without Battery) :	15.6 kgs	N.W. :	18.6 kgs
Load Qty (20GP/40HQ) :			115/318 pcs

OPTIONAL ACCESSORIES

- Side storage bag
- Dinning table
- Wireless remote control
- Rear attendant controller
- Adjustable headrest
- Option lithium battery : 24V 10/20A

TEW215

- Carbon fiber+aluminum alloy frame with brushless motor 150W×2Pcs
- Lithium battery 6Ah (10km) / 10Ah (15km) /20Ah (30km)
- LED LCD display controller with breathable seat back cushion
- Flip-up armrest (carbon fiber material)





Frame Material :	Aluminum+carbon fiber	Motor Power :	150W×2
Battery Type :	Lithium battery 6Ah	Max. Load :	100 kg
Reverse Speed :	1-3 km/h	Forward Speed :	1-6 km/h
Climbing Angle :	9°	Turning Radius :	61 cm
Seat Width :	43 cm	Driving Range :	10-15 km
Backrest Height :	39 cm	Seat Height :	54 cm
Rear Wheel Dia. :	12 inch	Front Wheel Dia. :	7 inch
Dim. (Folded) :	54×33×95 cm	Dim. (Unfolded) :	101×54×96 cm
G.W. :	20 kgs	Packing Dim. :	56×34×86 cm
N.W. (Without Battery) :	15.6 kgs	N.W. :	16.8 kgs
Load Qty (20GP/40HQ) :			160/390 pcs

OPTIONAL ACCESSORIES

- Option lithium battery : 6/10/20A

TEW205

- Carbon fiber frame
- Brushless motor 180W×2, with electromagnetic brake
- Intelligent controller with display screen
- Can be equipped with bluetooth remote control









OPTIONAL ACCESSORIES

- Option 14 inch or 22 inch rear wheels
- Option bluetooth controller
- Option lithium battery : 6Ah (10km), 10Ah (17km), 20Ah (35km)

Frame Material :	Carbon fiber	Motor Power :	250W	Battery Type :	Lithium battery
Max. Load :	100 kg	Forward Speed :	1-6 km/h	Reverse Speed :	1-3 km/h
Turning Radius :	52 cm	Climbing Angle :	9°	Driving Range :	10-15 km
Seat Width :	46 cm	Seat Height :	51 cm	Backrest Height :	40 cm
Front Wheel Dia. :	7 inch	Rear Wheel Dia. :	14 inch	Dim. (Unfolded) :	95×60×88 cm
Dim. (Folded) :	-	Packing Dim. :	80×35×77 cm	G.W. :	22 kgs
N.W.	18.3 kgs	N.W. (Without Battery) :	15.7 kgs	Load Qty (20GP/40HQ) :	120/310 pcs



TEW206

- Electronic brake
- Can be equipped with the rear controller and remote controller
- With shock absorbers (front) for greater comfort
- Aluminum alloy frame with carbon fiber painting, streamlined frame









OPTIONAL ACCESSORIES

- Wireless remote control
- Option lithium battery : 6/10/20Ah

Frame Material :	Aluminum frame	Motor Power :	180W	Battery Type :	Lithium battery 6Ah
Max. Load :	100 kg	Forward Speed :	1-5.2 km/h	Reverse Speed :	1-3 km/h
Turning Radius :	105 cm	Climbing Angle :	9°	Driving Range :	10-15 km
Seat Width :	40 cm	Seat Height :	56 cm	Backrest Height :	50 cm
Front Wheel Dia. :	7 inch	Rear Wheel Dia. :	10 inch	Dim. (Unfolded) :	95×55×94 cm
Dim. (Folded) :	55×33×83 cm	Packing Dim. :	56×38×86 cm	G.W. :	20 kgs
N.W.	18 kgs	N.W. (Without Battery) :	16.8 kgs	Load Qty (20GP/40HQ) :	140/350 pcs

TEW216

- Two step manual fold , portable design
- 5cm anti-decubitus seat cushion
- Built-in adjustable backrest tension belt to ease backpain
- Front wheel with suspension spring to offer more comfort mobility









OPTIONAL ACCESSORIES

- Side storage bag
- Dinning table
- Wireless remote control
- Adjustable headrest
- Rear attendant controller
- Option lithium/Lead acid battery : 24V 12/20/32A
- Rear attendant controller

Frame Material :	Aluminum frame	Motor Power :	24V 250W×2	Battery Type :	12/20/32Ah lithium battery
Max. Load :	120 kg	Forward Speed :	1-6 km/h	Reverse Speed :	1-6 km/h
Turning Radius :	120 cm	Climbing Angle :	6°	Driving Range :	20 km
Seat Width :	48 cm	Seat Height :	45 cm	Backrest Height :	46 cm
Front Wheel Dia. :	8 inch	Rear Wheel Dia. :	12 inch	Dim. (Unfolded) :	100×63.5×95 cm
Dim. (Folded) :	63.5×39×72 cm	Packing Dim. :	72×48×81 cm	G.W. :	33.5 kgs
N.W.	28.6 kgs	N.W. (Without Battery) :	24.5 kgs	Load Qty (20GP/40HQ) :	85/235 pcs



TEW217

- Wear resistant and breathable mesh seat back cushion
- Aluminum alloy frame with small controller
- Servo motor 180W × 2, flip-up armrest
- Quickly disassembled battery box





Frame Material :	Aluminum frame	Motor Power :	180W×2
Battery Type :	Lithium battery 6Ah	Max. Load :	100 kg
Reverse Speed :	1-3 km/h	Forward Speed :	1-5.2 km/h
Climbing Angle :	9°	Turning Radius :	105 cm
Seat Width :	41.5 cm	Driving Range :	10-15 km
Backrest Height :	51.5 cm	Seat Height :	51 cm
Rear Wheel Dia. :	10 inch	Front Wheel Dia. :	7 inch
Dim. (Folded) :	55×32×98 cm	Dim. (Unfolded) :	102×54.5×95 cm
G.W. :	20.65 kgs	Packing Dim. :	57×38×86 cm
N.W. (Without Battery) :	17.45 kgs	N.W. :	18.65 kgs
Load Qty (20GP/40HQ) :			140/350 pcs

OPTIONAL ACCESSORIES

- Option lithium battery : 6/10/20A

TEW-CK05

- 320W×2 powerful Taiwan-technology worm-gear motors
- Flip-up armrests & detachable footrests for easy transfer
- 150kg Heavy-duty aluminum alloy frame
- 360° Intelligent joystick controller




Frame Material :	Aluminum frame	Motor Power :	320W×2
Battery Type :	Lead-acid battery 35Ah	Max. Load :	150 kg
Reverse Speed :	1-3 km/h	Forward Speed :	1-6 km/h
Climbing Angle :	12°	Turning Radius :	105 cm
Seat Width :	46 cm	Driving Range :	23-28 km
Backrest Height :	43 cm	Seat Height :	51 cm
Rear Wheel Dia. :	12 inch	Front Wheel Dia. :	8 inch
Dim. (Folded) :	84×65×64 cm	Dim. (Unfolded) :	110×65×120 cm
G.W. :	64 kgs	Packing Dim. :	85×67×65 cm
N.W. (Without Battery) :	38 kgs	N.W. :	58 kgs
Load Qty (20GP/40HQ) :			96/210 pcs

OPTIONAL ACCESSORIES

- PG joystick controller
- 14inches rear wheel
- Option seat width : 18/20/22/24inches
- Option lithium battery : 12/20/26/40/52A
- Option lead acid battery : 12/20/32/35A

TEW-CK05
(14” Rear Wheel)

- 150kg Heavy-duty aluminum alloy frame
- 320W×2 Powerful Taiwan-technology worm-gear motors
- Detachable footrests foreasy-access and space-saving drop-back handlebar
- 360° Intelligent Joystick controller




Frame Material :	Aluminum frame	Motor Power :	320W×2
Battery Type :	Lithium battery 20Ah	Max. Load :	150 kg
Reverse Speed :	1-3 km/h	Forward Speed :	1-6 km/h
Climbing Angle :	12°	Turning Radius :	105 cm
Seat Width :	46 cm	Driving Range :	16-20 km
Backrest Height :	43 cm	Seat Height :	53 cm
Rear Wheel Dia. :	14 inch	Front Wheel Dia. :	9 inch
Dim. (Folded) :	84×65×64 cm	Dim. (Unfolded) :	110×65×120 cm
G.W. :	45 kgs	Packing Dim. :	85×67×65 cm
N.W. (Without Battery) :	36 kgs	N.W. :	39 kgs
Load Qty (20GP/40HQ) :			96/210 pcs

OPTIONAL ACCESSORIES

- PG joystick controller
- 12inches Rear wheel
- Seat width : 18/20/22/24inches
- Option lithium battery : 12/20/26/40/52A
- Option lead acid battery : 12/20/32/35A

TM-EW-015

- High-strength aluminum alloy chair frame
- 360° Sensitive smart joystick controller
- Intelligent electromagnetic braking system for maximum safety
- 320W×2 Powerful Taiwan-technology worm-gear motors




Frame Material :	Aluminum frame	Motor Power :	320W×2
Battery Type :	Lithium battery 20Ah	Max. Load :	120 kg
Reverse Speed :	1-3 km/h	Forward Speed :	1-6 km/h
Climbing Angle :	12°	Turning Radius :	120 cm
Seat Width :	46 cm	Driving Range :	16-20 km
Backrest Height :	42 cm	Seat Height :	52 cm
Rear Wheel Dia. :	24 inch	Front Wheel Dia. :	8 inch
Dim. (Folded) :	84×43×78 cm	Dim. (Unfolded) :	98×62×93 cm
G.W. :	39 kgs	Packing Dim. :	86×43×78 cm
N.W. (Without Battery) :	31 kgs	N.W. :	34 kgs
Load Qty (20GP/40HQ) :			96/200 pcs

OPTIONAL ACCESSORIES

- PG joystick controller
- 24Ah lead acid battery
- Option seat width : 16/8/20inches
- Option lithium battery : 12/20/24/26/40/52A



TEW002B+

- Foldable strengthen steel frame design with drop back handle
- 250W×2Pcs motor with electromagnetic brake
- Interleaved motor design, smaller compact size
- Double X bar for heavy loading performance
- Recharging available via battery box and controller









Optional Accessories

- Side storage bag
- Wireless remote control
- Dinning table
- Rear attendant controller

Frame Material :	Carbon steel frame	Motor Power :	250W×2	Battery Type :	24V 12Ah lead acid battery
Max. Load :	120 kg	Forward Speed :	1-6 km/h	Reverse Speed :	1-6 km/h
Turning Radius :	120 cm	Climbing Angle :	6°	Driving Range :	20 km
Seat Width :	45 cm	Seat Height :	51 cm	Backrest Height :	39 cm
Front Wheel Dia. :	10 inch	Rear Wheel Dia. :	16 inch	Dim. (Unfolded) :	115x63.5x93 cm
Dim. (Folded) :	78.5x34x74 cm	Packing Dim. :	88x42x84 cm	G.W. :	46.9 kgs
N.W.	42.2 kgs	N.W. (Without Battery) :	33.7 kgs	Load Qty (20GP/40HQ) :	78/215 pcs

TEW001

- Can adapt to road surfaces that general wheelchairs cannot handle
- Can operate in more rugged outdoor environments
- Reclining backrest and seat cushion equipped with an automatic balancing system
- Comfortable sofa-style seat with powerful four-wheel-drive system





Frame Material :	Steel frame	Motor Power :	1350W
Battery Type :	Lead-acid battery 27Ah	Max. Load :	150 kg
Reverse Speed :	1-3 km/h	Forward Speed :	1-7 km/h
Climbing Angle :	30°	Turning Radius :	49 cm
Seat Width :	41/46/51 cm	Driving Range :	10-15 km
Backrest Height :	-	Seat Height :	68 cm
Rear Wheel Dia. :	15.5 inch	Front Wheel Dia. :	15.5 inch
Dim. (Folded) :	-	Dim. (Unfolded) :	115×73×137 cm
G.W. :	250 kgs	Packing Dim. :	115×73×137 cm
N.W. (Without Battery) :	-	N.W. :	197 kgs
Load Qty (20GP/40HQ) :			21/54 pcs

OPTIONAL ACCESSORIES

THE003L

- 12inch omnidirectional wheels: obstacle height 8cm, width 15cm, climbing angle 15°
- Remote vehicle control, remote vehicle status (battery level/remaining range/remote OTA)
- Gravity-sensing system and four-wheel independent suspension
- Bluetooth remote-control and 115° backrest adjustment





Frame Material :	Aluminum frame	Motor Power :	150W Nidec brushless motor
Battery Type :	Lithium battery 20Ah	Max. Load :	150 kg
Reverse Speed :	1-3 km/h	Forward Speed :	1-6 km/h
Climbing Angle :	15°	Turning Radius :	-
Seat Width :	40 cm	Driving Range :	30 km
Backrest Height :	48 cm	Seat Height :	54.5 cm
Rear Wheel Dia. :	12 inch	Front Wheel Dia. :	12 inch
Dim. (Folded) :	-	Dim. (Unfolded) :	99.5×57×94.5 cm
G.W. :	75 kgs	Packing Dim. :	105×62×51 cm
N.W. (Without Battery) :	62 kgs	N.W. :	74.5 kgs
Load Qty (20GP/40HQ) :			42/108 pcs

OPTIONAL ACCESSORIES

TEW150

- Domestic Brushless motor 150W×2 (200W×2 motors for option)
- Manual seat height adjustment (Upgrade to electric lift)
- Available colours: red, white and carbon-fiber finish
- Aviation-grade safety belt







Frame Material :	Al-Mn alloy	Motor Power :	150W×2
Battery Type :	Lithium battery 8Ah	Max. Load :	120 kg
Reverse Speed :	1-3 km/h	Forward Speed :	1-6 km/h
Climbing Angle :	9°	Turning Radius :	
Seat Width :	45.5 cm	Driving Range :	8 km
Backrest Height :	48 cm	Seat Height :	43-60 cm
Rear Wheel Dia. :	9 inch	Front Wheel Dia. :	8 inch
Dim. (Folded) :	-	Dim. (Unfolded) :	102×60×99 cm
G.W. :	34 kgs	Packing Dim. :	90.5×66×48 cm
N.W. (Without Battery) :	-	N.W. :	28 kgs
Load Qty (20GP/40HQ) :			90/230 pcs

OPTIONAL ACCESSORIES

TEW229

- Automatic deceleration on slopes (uphill/downhill)
- Four-wheel independent suspension and gravity-sensing auto-lock
- Intelligent electromagnetic brake and Bluetooth remote-control
- Airplane/Train approved (can be taken on airplanes and high-speed trains)







Frame Material :	Aluminum frame	Motor Power :	-
Battery Type :	Lithium battery 10Ah	Max. Load :	150 kg
Reverse Speed :	1-3 km/h	Forward Speed :	1-6 km/h
Climbing Angle :	9°	Turning Radius :	86 cm
Seat Width :	43 cm	Driving Range :	10-15 km
Backrest Height :	50 cm	Seat Height :	50 cm
Rear Wheel Dia. :	10 inch	Front Wheel Dia. :	8 inch
Dim. (Folded) :	-	Dim. (Unfolded) :	108×62×88.5 cm
G.W. :	36.3 kgs	Packing Dim. :	86.9×56.8×79 cm
N.W. (Without Battery) :	-	N.W. :	28.3 kgs
Load Qty (20GP/40HQ) :			68/168 pcs

OPTIONAL ACCESSORIES



TAW908LJ

- Aluminum chair frame
- Solid casters
- Flip-up desk armrests
- Pneumatic rear wheels
- Detachable footrest
- Combined brake system







Overall Width :	64 cm	Overall Height :	89 cm	Seat Width :	46 cm
Seat Height :	51 cm	Backrest Height :	38 cm	Max. Load :	100 kg
Front Wheel Dia. :	20 cm	Rear Wheel Dia. :	58 cm	N.W. :	13.2 kg
G.W. :	16.3 kg	Dim. :	80×28×91 cm		



TAW206LAJ

- Aluminum frame
- Combined brake system
- Dual-brake design
- Drop-back handle
- Flip-up armrests
- 6"/8" front casters
- Detachable footrests with plastic footplates
- 22"/24" rear spoke wheels with solid tires

Overall Width :	63 cm	Overall Height :	91 cm
Seat Width :	45 cm	Seat Height :	44.5 cm
Backrest Height :	-	Max. Load :	100 kg
Front Wheel Dia. :	15.2 cm	Rear Wheel Dia. :	55.9 cm
N.W. :	15 kg	G.W. :	18 kg
Dim. :			82×34×75 cm



TAW205LHQ

- Aluminum chair frame
- Quick-release pneumatic rear wheels
- Detachable footrest, anti-tip wheels and solid casters
- Angle-adjustable footplate with locking drum brake
- Flip-up inclined armrests, height adjustable

Overall Width :	68 cm	Overall Height :	90 cm
Seat Width :	46 cm	Seat Height :	50 cm
Backrest Height :	38 cm	Max. Load :	100 kg
Front Wheel Dia. :	15 cm	Rear Wheel Dia. :	62 cm
N.W. :	16.8 kg	G.W. :	19.3 kg
Dim. :			77×33×92 cm



TAW207LABP

- Aluminum chair frame
- Detachable footrest, anti-tippers and solid casters
- Detachable footrest, solid casters
- Angle-adjustable footplate equipped with locking drum brake
- Flip-up inclined armrests

Overall Width :	62 cm	Overall Height :	89 cm
Seat Width :	46 cm	Seat Height :	50 cm
Backrest Height :	39 cm	Max. Load :	100 kg
Front Wheel Dia. :	15 cm	Rear Wheel Dia. :	38 cm
N.W. :	12.9 kg	G.W. :	14.9 kg
Dim. :			78×28×76 cm

TAW208LABP

- Aluminum-alloy chair frame
- Flip-up armrests
- Detachable footrests
- Fold-down push handle
- PU mag-wheel rear wheels

Overall Width :	69 cm	Overall Height :	91 cm
Seat Width :	46 cm	Seat Height :	52 cm
Backrest Height :	39 cm	Max. Load :	100 kg
Front Wheel Dia. :	15 cm	Rear Wheel Dia. :	56 cm
N.W. :	13.8 kg	G.W. :	16 kg
Dim. :			80×28×78 cm





TAW218LQ

- Aluminum chair frame
- PU castors
- Angle-adjustable footplate
- Quick-release pneumatic rear wheels
- Detachable footrests
- Flip-up inclined armrests with height adjustment

Overall Width :	64 cm	Overall Height :	91 cm
Seat Width :	46 cm	Seat Height :	-
Backrest Height :	37 cm	Max. Load :	100 kg
Front Wheel Dia. :	17.5 cm	Rear Wheel Dia. :	62 cm
N.W. :	15.5 kg	G.W. :	18 kg
Dim. :			87×33×94 cm

TAW250LCPQ

- Aluminum chair frame
- Flip-up & Height-adjustable inclined armrests
- Detachable elevating footrests
- PU casters
- Quick-release PU rear wheels
- Anti-tippers

Overall Width :	68 cm	Overall Height :	90 cm
Seat Width :	46 cm	Seat Height :	51 cm
Backrest Height :	38 cm	Max. Load :	100 kg
Front Wheel Dia. :	17.5 cm	Rear Wheel Dia. :	60 cm
N.W. :	17 kg	G.W. :	19.2 kg
Dim. :			93×31×91 cm





TAW253LACHQ

- Aluminum chair frame
- Flip-up armrests
- Detachable footrests
- Drop-back handle
- PU mag rear wheels

Overall Width :	64 cm	Overall Height :	95 cm
Seat Width :	46 cm	Seat Height :	50 cm
Backrest Height :	42 cm	Max. Load :	100 kg
Front Wheel Dia. :	15 cm	Rear Wheel Dia. :	61 cm
N.W. :	19.1 kg	G.W. :	20.7 kg
Dim. :			85×35×78 cm

TAW251LHPQ

- Aluminum chair frame
- Detachable footrests
- PU casters
- Angle-adjustable footplate
- Quick-release PU rear wheels
- Flip-up & Height-adjustable inclined armrests
- Locking drum brake
- Anti-tippers

Overall Width :	68 cm	Overall Height :	90 cm
Seat Width :	46 cm	Seat Height :	49 cm
Backrest Height :	39 cm	Max. Load :	100 kg
Front Wheel Dia. :	15 cm	Rear Wheel Dia. :	62 cm
N.W. :	17.5 kg	G.W. :	20.4 kg
Dim. :			78×33×92 cm





TAW800LBJ

- Transit wheelchair, light-weight aluminum frame
- 6" solid mag rear wheels
- 5" solid casters
- Flip-up armrests
- Combined brakes & Seat belt

Overall Width :	51 cm	Overall Height :	90 cm
Seat Width :	38 cm	Seat Height :	45 cm
Backrest Height :	33 cm	Max. Load :	100 kg
Front Wheel Dia. :	12.5 cm	Rear Wheel Dia. :	15 cm
N.W. :	6.9 kg	G.W. :	9.1 kg
Dim. :			48×34×66 cm

TAW800LBF3

- Aluminum-alloy frame
- PU front wheels
- PU rear wheels
- Flip-up armrests
- Fixed footrest
- Pedal brake
- Air-cabin-friendly design

Overall Width :	38 cm	Overall Height :	86.5 cm
Seat Width :	35 cm	Seat Height :	49 cm
Backrest Height :	-	Max. Load :	100 kg
Front Wheel Dia. :	7.6 cm	Rear Wheel Dia. :	12.5 cm
N.W. :	6 kg	G.W. :	8.2 kg
Dim. :			40×26×58 cm





TAW803LB

- Transit wheelchair
- Light-weight aluminum frame
- 5" solid mag rear wheels
- 4" solid casters
- Flip-up armrests
- Seat belt included

Overall Width :	38 cm	Overall Height :	88 cm
Seat Width :	32 cm	Seat Height :	45 cm
Backrest Height :	39 cm	Max. Load :	100 kg
Front Wheel Dia. :	10 cm	Rear Wheel Dia. :	15 cm
N.W. :	6 kg	G.W. :	7.5 kg
Dim. :			39×29×70 cm

TAW804LABJP

- Transit wheelchair
- Light-weight aluminum frame
- 8" pu mag rear wheels
- 5" solid casters
- Flip-up armrests & footrests
- Drop-back push handles
- Integrated brakes & seat belt

Overall Width :	46 cm	Overall Height :	88 cm
Seat Width :	37 cm	Seat Height :	45 cm
Backrest Height :	38 cm	Max. Load :	100 kg
Front Wheel Dia. :	12.5 cm	Rear Wheel Dia. :	20 cm
N.W. :	7.2 kg	G.W. :	9.4 kg
Dim. :			75×25×66 cm





TAW806L

- Carbon-fiber transfer-printed aluminum-alloy frame
- Honeycomb shock-absorbing front casters & rear wheels
- Luxurious leather-look seat and back cushion
- Flip-up armrests with pu armrest pads
- Travel rod included

Overall Width :	57 cm	Overall Height :	90 cm
Seat Width :	41 cm	Seat Height :	50 cm
Backrest Height :	-	Max. Load :	100 kg
Front Wheel Dia. :	15.3 cm	Rear Wheel Dia. :	30.5 cm
N.W. :	9.9 kg	G.W. :	11 kg
Dim. :			56×34×81 cm



TAW807LABP

- Transit wheelchair
- Light-weight aluminum frame
- 6" pu mag rear wheels
- 5" solid casters
- Flip-up armrests
- Drop-back push handles
- Seat belt included

Overall Width :	37 cm	Overall Height :	87 cm
Seat Width :	32 cm	Seat Height :	45 cm
Backrest Height :	40 cm	Max. Load :	100 kg
Front Wheel Dia. :	12.5 cm	Rear Wheel Dia. :	15 cm
N.W. :	7 kg	G.W. :	8.1 kg
Dim. :			53×24×62 cm

TAW805LABJ

- Light-weight aluminum frame
- Fixed armrests
- Flip-up footrests
- Solid casters
- Pneumatic mag rear wheels
- Drop-back push handles
- Integrated brakes included

Overall Width :	59 cm	Overall Height :	90 cm
Seat Width :	46 cm	Seat Height :	48 cm
Backrest Height :	39 cm	Max. Load :	100 kg
Front Wheel Dia. :	15 cm	Rear Wheel Dia. :	31 cm
N.W. :	8.9 kg	G.W. :	11.22 kg
Dim. :			71×25×76 cm



TAW863LABJPF3

- Light-weight aluminum frame
- Drop-back push handles
- Fixed pu armrests
- Flip-up footrests
- Solid casters
- Pu rear wheels
- Integrated brakes

Overall Width :	61 cm	Overall Height :	91 cm
Seat Width :	46 cm	Seat Height :	49 cm
Backrest Height :	41 cm	Max. Load :	100 kg
Front Wheel Dia. :	15 cm	Rear Wheel Dia. :	30 cm
N.W. :	10.6 kg	G.W. :	12.4 kg
Dim. :			70×28×72 cm



TAW863LABJPF9

- Light-weight aluminum frame
- Fixed armrests
- Flip-up footrests
- Drop-back push handles
- Integrated brakes
- PU mag rear wheels
- Solid casters

Overall Width :	61 cm	Overall Height :	91 cm
Seat Width :	46 cm	Seat Height :	49 cm
Backrest Height :	41 cm	Max. Load :	100 kg
Front Wheel Dia. :	15 cm	Rear Wheel Dia. :	30 cm
N.W. :	10.6 kg	G.W. :	12.8 kg
Dim. :			76×28×74 cm



TAW863LAJPF4

- Aluminum chair frame
- Solid casters
- Drop-back push handles
- Pu rear wheels
- Fixed armrests
- Flip-up footrests
- Equipped with integrated brakes

Overall Width :	64 cm	Overall Height :	91 cm
Seat Width :	46 cm	Seat Height :	49 cm
Backrest Height :	41 cm	Max. Load :	100 kg
Front Wheel Dia. :	15 cm	Rear Wheel Dia. :	51 cm
N.W. :	12 kg	G.W. :	14.2 kg
Dim. :			80×30×72 cm





TAW863LAJPF8

- Aluminum chair frame
- Fixed armrests
- Flip-up footrests
- Drop-back push handles
- Solid casters
- PU rear wheels
- Equipped with integrated brakes

Overall Width :	65 cm	Overall Height :	91 cm
Seat Width :	46 cm	Seat Height :	51 cm
Backrest Height :	41 cm	Max. Load :	100 kg
Front Wheel Dia. :	15 cm	Rear Wheel Dia. :	51 cm
N.W. :	11.7 kg	G.W. :	13.9 kg
Dim. :			80×30×74 cm

TAW863LAJPF7

- Light-weight aluminum chair frame
- Drop-back push handles
- Flip-up armrests
- Flip-up footrests
- Solid casters
- PU rear wheels
- Equipped with integrated brakes

Overall Width :	64 cm	Overall Height :	91 cm
Seat Width :	46 cm	Seat Height :	51 cm
Backrest Height :	39 cm	Max. Load :	100 kg
Front Wheel Dia. :	15 cm	Rear Wheel Dia. :	51 cm
N.W. :	12.5 kg	G.W. :	14.9 kg
Dim. :			102×25×89 cm





TAW865L

- Carbon-fiber transfer-printed aluminum-alloy frame
- Honeycomb shock-absorbing front casters & rear wheels
- Breathable seat cushion
- Flip-up armrests with pu armrest pads

Overall Width :	58 cm	Overall Height :	91 cm
Seat Width :	40 cm	Seat Height :	54 cm
Backrest Height :	-	Max. Load :	100 kg
Front Wheel Dia. :	20.3 cm	Rear Wheel Dia. :	30.5 cm
N.W. :	14 kg	G.W. :	16 kg
Dim. :			62×38×81 cm

TAW868L

- Light-weight aluminum chair frame
- Fixed armrests
- Fixed footrests
- Solid casters
- Pneumatic rear wheels

Overall Width :	61 cm	Overall Height :	87 cm
Seat Width :	46 cm	Seat Height :	45 cm
Backrest Height :	39 cm	Max. Load :	100 kg
Front Wheel Dia. :	15 cm	Rear Wheel Dia. :	58 cm
N.W. :	10.7 kg	G.W. :	20.7 kg
Dim. :			94×28×90 cm





TAW869LABJX

- Aluminum chair frame
- Fixed recline armrests
- Fixed footrests
- Solid casters
- PU mag wheels
- Equipped with integrated brakes

Overall Width :	65 cm	Overall Height :	88 cm
Seat Width :	46 cm	Seat Height :	51 cm
Backrest Height :	37 cm	Max. Load :	100 kg
Front Wheel Dia. :	20 cm	Rear Wheel Dia. :	60 cm
N.W. :	12.5 kg	G.W. :	14.9 kg
Dim. :			102×25×89 cm

TAW869LJ

- Light-weight aluminum chair frame
- Fixed armrests
- Fixed footrests
- Solid casters
- Pneumatic rear wheels
- Equipped with integrated brakes

Overall Width :	65.5 cm	Overall Height :	89 cm
Seat Width :	46 cm	Seat Height :	51 cm
Backrest Height :	37 cm	Max. Load :	100 kg
Front Wheel Dia. :	20 cm	Rear Wheel Dia. :	62 cm
N.W. :	12.1 kg	G.W. :	14.5 kg
Dim. :			103×25×90 cm





TAW870LABJPF5

- Lightweight aluminum chair frame
- Double cross bar
- Drop-back push handles
- Fixed footrest
- Combined brake system
- Pu-mag rear wheels
- Solid casters
- Fixed armrests

Overall Width :	61 cm	Overall Height :	88 cm
Seat Width :	46 cm	Seat Height :	47 cm
Backrest Height :	36 cm	Max. Load :	100 kg
Front Wheel Dia. :	17.5 cm	Rear Wheel Dia. :	38 cm
N.W. :	11 kg	G.W. :	14.5 kg
Dim. :			81×29×76 cm



TAW869LJPX

- Light-weight aluminum chair frame
- Fixed inclined armrests
- Fixed footrest
- Solid casters
- Pneumatic rear wheels
- Equipped with combined brake

Overall Width :	65 cm	Overall Height :	87 cm
Seat Width :	46 cm	Seat Height :	51 cm
Backrest Height :	37 cm	Max. Load :	100 kg
Front Wheel Dia. :	20 cm	Rear Wheel Dia. :	62 cm
N.W. :	12.1 kg	G.W. :	14.5 kg
Dim. :			103×25×90 cm



TAW870LAJ

- Lightweight aluminum chair frame
- Fixed armrests
- Fixed footrest
- Solid casters
- Pneumatic rear wheels
- Drop-back push handles
- Combined brake system

Overall Width :	66 cm	Overall Height :	90 cm
Seat Width :	46 cm	Seat Height :	48 cm
Backrest Height :	41 cm	Max. Load :	100 kg
Front Wheel Dia. :	20 cm	Rear Wheel Dia. :	40 cm
N.W. :	11.5 kg	G.W. :	14.5 kg
Dim. :			80×28×76 cm

TAW871LBJ

- Lightweight aluminum chair frame
- Fixed armrests & footrest
- Solid casters
- Pneumatic-mag rear wheels
- Combined brake system

Overall Width :	54 cm	Overall Height :	89 cm
Seat Width :	46 cm	Seat Height :	49 cm
Backrest Height :	43 cm	Max. Load :	100 kg
Front Wheel Dia. :	15 cm	Rear Wheel Dia. :	40 cm
N.W. :	11 kg	G.W. :	13.2 kg
Dim. :			80×28×90 cm



TAW872LAJ

- Lightweight aluminum chair frame
- Fixed armrests
- Fixed footrest
- Solid casters
- Pneumatic rear wheels
- Drop-back push handles
- Locking combined brake system

Overall Width :	61 cm	Overall Height :	92 cm
Seat Width :	46 cm	Seat Height :	49 cm
Backrest Height :	39 cm	Max. Load :	100 kg
Front Wheel Dia. :	15 cm	Rear Wheel Dia. :	51 cm
N.W. :	11.7 kg	G.W. :	14 kg
Dim. :			82×28×76 cm



TAW873LABJP

- Lightweight aluminum chair frame
- Fixed armrests
- Fixed footrest
- Solid casters
- PU mag rear wheels
- Drop-back push handles
- Combined brake system

Overall Width :	58 cm	Overall Height :	94 cm
Seat Width :	46 cm	Seat Height :	51 cm
Backrest Height :	41 cm	Max. Load :	100 kg
Front Wheel Dia. :	15 cm	Rear Wheel Dia. :	30 cm
N.W. :	10.6 kg	G.W. :	13.3 kg
Dim. :			74×28×75 cm





TAW874LJPF7

- Lightweight aluminum chair frame
- Solid casters
- Fixed armrests
- PU rear wheels
- Fixed footrest
- Combined brake system

Overall Width :	61 cm	Overall Height :	88 cm
Seat Width :	46 cm	Seat Height :	49 cm
Backrest Height :	37 cm	Max. Load :	100 kg
Front Wheel Dia. :	17.5 cm	Rear Wheel Dia. :	56 cm
N.W. :	11.8 kg	G.W. :	14.1 kg
Dim. :			90×27×91 cm



TAW874LJPF10

- Aluminum chair frame
- Fixed armrests
- Fixed footrest
- Solid casters
- PU rear wheels
- Combined brake system

Overall Width :	69 cm	Overall Height :	90 cm
Seat Width :	46 cm	Seat Height :	45 cm
Backrest Height :	41 cm	Max. Load :	100 kg
Front Wheel Dia. :	17.5 cm	Rear Wheel Dia. :	60 cm
N.W. :	12.4 kg	G.W. :	14 kg
Dim. :			87×28×90 cm

TAW874LJF5

- Lightweight aluminum chair frame
- Solid casters
- Fixed armrests
- Pneumatic rear wheels
- Fixed footrest
- Combined brake system

Overall Width :	64 cm	Overall Height :	87 cm
Seat Width :	46 cm	Seat Height :	49 cm
Backrest Height :	36 cm	Max. Load :	100 kg
Front Wheel Dia. :	17.5 cm	Rear Wheel Dia. :	62 cm
N.W. :	12.5 kg	G.W. :	14.5 kg
Dim. :			92×28×89 cm



TAW876L

- Flame-shaped blue aluminum frame
- Honeycomb shock-absorbing front casters & rear wheels
- Seat cushion with aerated mesh surface
- Upturned armrests with PU armrest pads
- Comes with travel suitcase

Overall Width :	56 cm	Overall Height :	88 cm
Seat Width :	43 cm	Seat Height :	51 cm
Backrest Height :	-	Max. Load :	100 kg
Front Wheel Dia. :	15.3 cm	Rear Wheel Dia. :	30.5 cm
N.W. :	9.8 kg	G.W. :	10.5 kg
Dim. :			56×34×81 cm



TAW878LAJ

- Lightweight aluminum chair frame
- Fixed armrests
- Flip-up footrest
- Solid casters
- Pneumatic rear wheels
- Drop-back push handles
- Locking combined brake system

Overall Width :	69 cm	Overall Height :	87 cm
Seat Width :	46 cm	Seat Height :	51 cm
Backrest Height :	35 cm	Max. Load :	100 kg
Front Wheel Dia. :	15 cm	Rear Wheel Dia. :	58 cm
N.W. :	10.7 kg	G.W. :	20.5 kg
Dim. :			80×30×76 cm



TAW903LAJPQF9

- Aluminum chair frame
- Drop-back push handles
- Detachable footrest
- Combined brake system
- Quick-release pneumatic rear wheels
- Solid casters
- Flip-up armrests
- Transport castors

Overall Width :	67 cm	Overall Height :	92 cm
Seat Width :	46 cm	Seat Height :	47 cm
Backrest Height :	44 cm	Max. Load :	100 kg
Front Wheel Dia. :	15 cm	Rear Wheel Dia. :	56 cm
N.W. :	14.7 kg	G.W. :	16.7 kg
Dim. :			80×36×73 cm





TAW903LQ

- Aluminum chair frame
- Solid casters
- Flip-up desk armrests
- Quick-release pneumatic rear wheels
- Detachable footrest
- Angle-adjustable footplate

Overall Width :	66 cm	Overall Height :	90 cm
Seat Width :	46 cm	Seat Height :	52 cm
Backrest Height :	38 cm	Max. Load :	100 kg
Front Wheel Dia. :	15 cm	Rear Wheel Dia. :	62 cm
N.W. :	14 kg	G.W. :	15.8 kg
Dim. :			80×28×91 cm

TAW908LAJPF21

- Aluminum chair frame
- Detachable footrest
- Drop-back push handles
- PU rear wheels
- Flip-up armrests
- Combined brake system

Overall Width :	63 cm	Overall Height :	89 cm
Seat Width :	46 cm	Seat Height :	45 cm
Backrest Height :	39 cm	Max. Load :	100 kg
Front Wheel Dia. :	15 cm	Rear Wheel Dia. :	60 cm
N.W. :	13.1 kg	G.W. :	15.1 kg
Dim. :			76×29×71 cm





TAW908LQF19

- Aluminum chair frame
- Solid casters
- Quick-release pneumatic rear wheels
- Angle-adjustable footplate
- Right-hand controlled rear-wheel drive
- Detachable footrest
- Flip-up & Height-adjustable inclined armrests

Overall Width :	69 cm	Overall Height :	91 cm
Seat Width :	46 cm	Seat Height :	52 cm
Backrest Height :	37 cm	Max. Load :	100 kg
Front Wheel Dia. :	15 cm	Rear Wheel Dia. :	62 cm
N.W. :	17.1 kg	G.W. :	19.6 kg
Dim. :			80×34×93 cm

TAW907LABH

- Aluminum chair frame
- Pneumatic-mag rear wheels
- Flip-up desk armrests
- Drop-back push handles
- Detachable footrest
- Solid casters
- Drum brake system

Overall Width :	62 cm	Overall Height :	92 cm
Seat Width :	46 cm	Seat Height :	51 cm
Backrest Height :	41 cm	Max. Load :	100 kg
Front Wheel Dia. :	15 cm	Rear Wheel Dia. :	40 cm
N.W. :	13.1 kg	G.W. :	15.5 kg
Dim. :			78×28×78 cm





TAW950LBPQ

- Aluminum chair frame
- Solid casters
- Quick-release PU mag rear wheels
- Anti-tippers
- Detachable footrest
- Angle-adjustable footplate
- Flip-up & Height-adjustable armrests

Overall Width :	66 cm	Overall Height :	91 cm
Seat Width :	46 cm	Seat Height :	51 cm
Backrest Height :	38 cm	Max. Load :	100 kg
Front Wheel Dia. :	15 cm	Rear Wheel Dia. :	61 cm
N.W. :	16.3 kg	G.W. :	19.4 kg
Dim. :			80×34×93 cm

TAW952LCQ

- Aluminum chair frame
- Solid casters
- Drop-back push handles
- Pu rear wheels
- Fixed armrests
- Flip-up footrests
- Equipped with integrated brakes

Overall Width :	66 cm	Overall Height :	91 cm
Seat Width :	46 cm	Seat Height :	51 cm
Backrest Height :	40 cm	Max. Load :	100 kg
Front Wheel Dia. :	15 cm	Rear Wheel Dia. :	61 cm
N.W. :	17.7 kg	G.W. :	20.5 kg
Dim. :			80×34×93 cm





TAW955L

- Aluminum chair frame
- Solid casters
- Flip-up inclined armrests
- Pneumatic rear wheels
- Detachable footrest
- Angle-adjustable footplate

Overall Width :	63 cm	Overall Height :	89 cm
Seat Width :	46 cm	Seat Height :	51 cm
Backrest Height :	38 cm	Max. Load :	100 kg
Front Wheel Dia. :	15 cm	Rear Wheel Dia. :	62 cm
N.W. :	15.8 kg	G.W. :	18.5 kg
Dim. :			83×28×91 cm



TAW957LQ

- Aluminum chair frame
- Quick-release pneumatic rear wheels
- Detachable footrest
- Transport wheels & Anti-tippers
- Solid casters
- Angle-adjustable footplate
- Flip-up & Height-adjustable inclined armrests

Overall Width :	63 cm	Overall Height :	89 cm
Seat Width :	46 cm	Seat Height :	51 cm
Backrest Height :	38 cm	Max. Load :	100 kg
Front Wheel Dia. :	15 cm	Rear Wheel Dia. :	61 cm
N.W. :	17.4 kg	G.W. :	19.4 kg
Dim. :			82×28×91 cm

TAW953LB

- Aluminum frame
- Flip-up & Height-adjustable desk armrests
- Detachable footrest
- Solid casters
- Pneumatic-mag rear wheels
- Anti-tippers
- Angle-adjustable footplate

Overall Width :	62 cm	Overall Height :	92 cm
Seat Width :	40 cm	Seat Height :	50 cm
Backrest Height :	39 cm	Max. Load :	100 kg
Front Wheel Dia. :	15 cm	Rear Wheel Dia. :	31 cm
N.W. :	14.4 kg	G.W. :	16.4 kg
Dim. :			78×33×93 cm



TAW959LQ

- Aluminum chair frame
- Quick-release pneumatic rear wheels
- Detachable footrest
- Angle-adjustable footplate
- PU casters
- Flip-up & Height-adjustable inclined armrests
- Anti-tippers

Overall Width :	64 cm	Overall Height :	89 cm
Seat Width :	46 cm	Seat Height :	50 cm
Backrest Height :	38 cm	Max. Load :	100 kg
Front Wheel Dia. :	15 cm	Rear Wheel Dia. :	62 cm
N.W. :	16.1 kg	G.W. :	18.3 kg
Dim. :			83×29×90 cm





TAW971LP

- Aluminum chair frame
- Fixed armrests
- Detachable footrest
- Solid casters
- PU rear wheels

Overall Width :	67 cm	Overall Height :	88 cm
Seat Width :	46 cm	Seat Height :	49 cm
Backrest Height :	40 cm	Max. Load :	100 kg
Front Wheel Dia. :	20 cm	Rear Wheel Dia. :	61 cm
N.W. :	14 kg	G.W. :	16 kg
Dim. :			84×28×91 cm

TAW976LAB

- Aluminum chair frame
- Fixed armrests
- Detachable footrest
- Solid casters
- Solid-mag rear wheels
- Drop-back push handles

Overall Width :	60 cm	Overall Height :	101 cm
Seat Width :	46 cm	Seat Height :	52 cm
Backrest Height :	40 cm	Max. Load :	100 kg
Front Wheel Dia. :	20 cm	Rear Wheel Dia. :	20 cm
N.W. :	10.6 kg	G.W. :	12 kg
Dim. :			74×26×78 cm





TAW980LA-46

- Aluminum chair frame
- Solid casters
- Flip-up armrests
- Pneumatic rear wheels
- Fixed footrest
- Drop-back push handles

Overall Width :	64 cm	Overall Height :	94 cm
Seat Width :	46 cm	Seat Height :	51 cm
Backrest Height :	40 cm	Max. Load :	100 kg
Front Wheel Dia. :	15 cm	Rear Wheel Dia. :	61 cm
N.W. :	14.6 kg	G.W. :	17.6 kg
Dim. :			94×33×75 cm



TAW976LABJF2-43

- Lightweight aluminum chair frame
- Detachable footrest
- Pneumatic-mag rear wheels
- Drop-back push handles
- Combined brake system
- Fixed armrests
- Solid casters

Overall Width :	55 cm	Overall Height :	93 cm
Seat Width :	43 cm	Seat Height :	49 cm
Backrest Height :	39 cm	Max. Load :	100 kg
Front Wheel Dia. :	20 cm	Rear Wheel Dia. :	30 cm
N.W. :	12.3 kg	G.W. :	13.8 kg
Dim. :			74×25×78 cm



TAW983L

- Aluminum frame
- Flip-up desk armrests
- Fixed footrest
- Solid casters
- Pneumatic rear wheels

Overall Width :	63 cm	Overall Height :	87 cm
Seat Width :	46 cm	Seat Height :	49 cm
Backrest Height :	39 cm	Max. Load :	100 kg
Front Wheel Dia. :	15 cm	Rear Wheel Dia. :	58 cm
N.W. :	13.1 kg	G.W. :	15.7 kg
Dim. :			94×28×91 cm

THE018LPQ

- Aluminum chair frame
- Flip-up & Height-adjustable inclined armrests
- Detachable footrest
- Angle-adjustable footplate
- PU casters
- Quick-release PU rear wheels
- Anti-tippers

Overall Width :	56 cm	Overall Height :	72 cm
Seat Width :	50 cm	Seat Height :	48 cm
Backrest Height :	42 cm	Max. Load :	100 kg
Front Wheel Dia. :	10 cm	Rear Wheel Dia. :	60 cm
N.W. :	11.5 kg	G.W. :	11.5 kg
Dim. :			87×31×34 cm



THE869LJP-43

- Aluminum chair frame
- Fixed armrests
- With United Brake
- Solid casters
- PU rear wheels
- Fixed footrest

Overall Width :	58 cm	Overall Height :	95.5 cm
Seat Width :	46 cm	Seat Height :	46 cm
Backrest Height :	42 cm	Max. Load :	100 kg
Front Wheel Dia. :	15 cm	Rear Wheel Dia. :	56 cm
N.W. :	11.8 kg	G.W. :	13.8 kg
Dim. :			96×33×90 cm



THE874LAHP

- Aluminum chair frame
- Fixed armrests
- Fixed footrest
- Solid casters
- PU rear wheels
- Drop-Back handle with drum brake

Overall Width :	71 cm	Overall Height :	91.5 cm
Seat Width :	46 cm	Seat Height :	52 cm
Backrest Height :	37 cm	Max. Load :	100 kg
Front Wheel Dia. :	17 cm	Rear Wheel Dia. :	60 cm
N.W. :	14.6 kg	G.W. :	16 kg
Dim. :			94×34×78 cm





TEW515

- Stylish aluminum alloy frame
- Automatic braking system
- LED headlights and taillights
- Automatic folding, remote control optional
- PU foam filled PVC seat cushion, waterproof
- Optional dual batteries, range up to 43 km





OPTIONAL ACCESSORIES

- Battery capacity : 10Ah/12Ah/16Ah/2×6.6Ah/ 2×10Ah/2×12Ah/2×16Ah

Frame Material :	Aluminum alloy	Motor Power :	24V 270W Brushless	Battery Type :	24V 6.6Ah×1 lithium
Max. Load :	120 kg	Forward Speed :	0-8 km/h	Reverse Speed :	0-3 km/h
Turning Radius :	150 cm	Climbing Angle :	9°	Driving Range :	10 km
Seat Width :	40 cm	Seat Height :	52 cm	Backrest Height :	38 cm
Front Wheel Dia. :	17.8 cm	Rear Wheel Dia. :	17.8 cm	Dim. (Unfolded) :	95x95x50 cm
Dim. (Folded) :	45x51x70 cm	Packing Dim. :	46.5x52.5x75.5 cm	G.W. :	29.8 kgs
N.W.	25.3 kgs	N.W. (Without Battery) :	24 kgs	Load Qty (20GP/40HQ) :	78/215 pcs

TEW123A

- Comfortable waterproof leather seat
- Adjustable seat height & Armrest width
- PU wheels with excellent shock absorption
- Equipped with automatic braking system
- Standard front storage basket



Frame Material :	Steel frame	Motor Power :	24V 250W Brushed
Battery Type :	20Ah lead acid battery	Max. Load :	120 kg
Reverse Speed :	0-8 km/h	Forward Speed :	0-15 km/h
Climbing Angle :	9°	Turning Radius :	140 cm
Seat Width :	39 cm	Driving Range :	25 km
Backrest Height :	38 cm	Seat Height :	56.5 cm
Rear Wheel Dia. :	22.9 cm	Front Wheel Dia. :	22.9 cm
Dim. (Folded) :	-	Dim. (Unfolded) :	118×99×52 cm
G.W. :	58 kgs	Packing Dim. :	122×53×58 cm
N.W. (Without Battery) :	55 kgs	N.W. :	
Load Qty (20GP/40HQ) :			176 pcs

OPTIONAL ACCESSORIES

TEW130B

- Aluminum alloy frame, box-style、mobility scooter
- Equipped with LED Lights
- Compact folded size, fits easily in car trunk





Frame Material :	Aluminum frame	Motor Power :	250W Brushless
Battery Type :	48V 250Wh lithium battery	Max. Load :	100 kg
Reverse Speed :	0-8 km/h	Forward Speed :	0-15 km/h
Climbing Angle :	12°	Turning Radius :	86 cm
Seat Width :	36.5 cm	Driving Range :	10 km
Backrest Height :	30.5 cm	Seat Height :	57 cm
Rear Wheel Dia. :	25.4 cm	Front Wheel Dia. :	20.3 cm
Dim. (Folded) :	40×43×70 cm	Dim. (Unfolded) :	58.5×125×98 cm
G.W. :	32 kgs	Packing Dim. :	80×52.5×47.5 cm
N.W. (Without Battery) :	-	N.W. :	-
Load Qty (20GP/40HQ) :			-

OPTIONAL ACCESSORIES

- Side storage bag
- Dinning table
- Wireless remote control
- Rear attendant controller
- Option lithium/Lead acid battery : 24V 12/20/32A

TEW136

- Steel Frame
- Manual Folding
- Equipped with 24V 350W brushed motor
- Equipped with 24V 12Ah lead-acid battery





Frame Material :	Steel Frame	Motor Power :	24V 350W Brushed Motor
Battery Type :	24V 12Ah lead acid battery	Max. Load :	120 kg
Reverse Speed :	0-3 km/h	Forward Speed :	0-8 km/h
Climbing Angle :	9°	Turning Radius :	143 cm
Seat Width :	40 cm	Driving Range :	15 km
Backrest Height :	-	Seat Height :	50.5 cm
Rear Wheel Dia. :	22.9 cm	Front Wheel Dia. :	22.9 cm
Dim. (Folded) :	-	Dim. (Unfolded) :	113×52.5×37.5 cm
G.W. :	-	Packing Dim. :	-
N.W. (Without Battery) :	23.5 kgs	N.W. :	-
Load Qty (20GP/40HQ) :			80/200 pcs

OPTIONAL ACCESSORIES

- Side storage bag
- Dinning table
- Wireless remote control
- Option upgrade to electromagnetic brake

TEW137

- Aluminum alloy frame
- Manual folding
- Equipped with 24V 270W brushless motor
- Equipped with 24V 6.6Ah×1 lithium battery





Frame Material :	Aluminum frame	Motor Power :	24V 270W Brushless Motor
Battery Type :	24V 6.6Ah×1 Lithium Battery	Max. Load :	120 kg
Reverse Speed :	0-3 km/h	Forward Speed :	0-8 km/h
Climbing Angle :	9°	Turning Radius :	139 cm
Seat Width :	38.5 cm	Driving Range :	10 km
Backrest Height :	28 cm	Seat Height :	57 cm
Rear Wheel Dia. :	20.3 cm	Front Wheel Dia. :	20.3 cm
Dim. (Folded) :	98.5×49×37 cm	Dim. (Unfolded) :	98.5×90.8×49 cm
G.W. :	-	Packing Dim. :	-
N.W. (Without Battery) :	18.8 kgs	N.W. :	-
Load Qty (20GP/40HQ) :			-

OPTIONAL ACCESSORIES

- PG joystick controller
- Option seat width : 16/18/20inches
- Option 24Ah lead acid battery
- Option lithium battery : 12/20/24/26/40/52A

TEW166

- Aluminum alloy frame (3-wheel/4-wheel optional)
- Foldable frame for easy carrying
- Visual display screen
- Optional 10Ah/12Ah lithium battery



Frame Material :	Aluminum alloy	Motor Power :	300W Brushless
Battery Type :	36V 10AH lithium battery	Max. Load :	100 kg
Reverse Speed :	0-8 km/h	Forward Speed :	0-15 km/h
Climbing Angle :	9°	Turning Radius :	86 cm
Seat Width :	30.6 cm	Driving Range :	10 km
Backrest Height :	33.5 cm	Seat Height :	33.8 cm
Rear Wheel Dia. :	25.4 cm	Front Wheel Dia. :	20.3 cm
Dim. (Folded) :	-	Dim. (Unfolded) :	51×100×97 cm
G.W. :	26.5 kgs	Packing Dim. :	58×41×83 cm
N.W. (Without Battery) :	22.5 kgs	N.W. :	-
Load Qty (20GP/40HQ) :			-

OPTIONAL ACCESSORIES

TEW149

- Carbon steel frame
- Detachable rear axle for easy transport
- 360° rotatable waterproof leather seat
- 350W high-power motor





Frame Material :	Steel frame	Motor Power :	24V 350W Brushed
Battery Type :	24V 12Ah Lead-acid	Max. Load :	120 kg
Reverse Speed :	0-3 km/h	Forward Speed :	0-8 km/h
Climbing Angle :	9°	Turning Radius :	140 cm
Seat Width :	45 cm	Driving Range :	20 km
Backrest Height :	45 cm	Seat Height :	57 cm
Rear Wheel Dia. :	22.3 cm	Front Wheel Dia. :	22.3 cm
Dim. (Folded) :	110×50×35 cm	Dim. (Unfolded) :	110×91×50 cm
G.W. :	55.8 kgs	Packing Dim. :	113×53×56 cm
N.W. (Without Battery) :	41 kgs	N.W. :	50.6 kgs
Load Qty (20GP/40HQ) :			80/176 pcs

OPTIONAL ACCESSORIES

- Side storage bag
- Dinning table
- Wireless remote control
- Rear attendant controller
- Option lithium/Lead acid battery : 24V 12/20/32A

TEW513

- 14kg portable aluminum alloy frame
- Compatible with dual batteries for long endurance
- Aviation-friendly for travel
- PU foam filled seat with PVC outer cover
- LED headlights
- Turning radius < 860mm



Frame Material :	Aluminum alloy	Motor Power :	24V 270W Brushless
Battery Type :	24V 6.6Ah*1 lithium	Max. Load :	120 kg
Reverse Speed :	0-3 km/h	Forward Speed :	0-8 km/h
Climbing Angle :	9°	Turning Radius :	86 cm
Seat Width :	38 cm	Driving Range :	10 km
Backrest Height :	38.5 cm	Seat Height :	52 cm
Rear Wheel Dia. :	22.3 cm	Front Wheel Dia. :	15.3 cm
Dim. (Folded) :	30×50×74 cm	Dim. (Unfolded) :	97×85.5×51 cm
G.W. :	19.3 kgs	Packing Dim. :	53.5×32.5×77 cm
N.W. (Without Battery) :	14 kgs	N.W. :	15.3 kgs
Load Qty (20GP/40HQ) :			540 pcs

OPTIONAL ACCESSORIES

- Side storage bag
- Dinning table
- Wireless remote control
- Option upgrade to electromagnetic brake

TEW514

- Aluminum alloy & Carbon fiber composite frame
- Visual display screen with 5-speed adjustment
- LED headlights + taillights + horn
- Visual display screen with 5-speed adjustment
- Automatic braking system





Frame Material :	Carbon-fiber & Aluminum	Motor Power :	24V 250W Brushless
Battery Type :	24V 10Ah lithium	Max. Load :	100 kg
Reverse Speed :	0-4 km/h	Forward Speed :	0-8 km/h
Climbing Angle :	9°	Turning Radius :	125 cm
Seat Width :	43.2 cm	Driving Range :	15 km
Backrest Height :	30 cm	Seat Height :	57 cm
Rear Wheel Dia. :	20.3 cm	Front Wheel Dia. :	16.5 cm
Dim. (Folded) :	72×52×41.5 cm	Dim. (Unfolded) :	93×93×49 cm
G.W. :	22.3 kgs	Packing Dim. :	76.5×56.5×46 cm
N.W. (Without Battery) :	16.7 kgs	N.W. :	18 kgs
Load Qty (20GP/40HQ) :			152/385 pcs

OPTIONAL ACCESSORIES

- PG joystick controller
- Option seat width : 16/18/20inches
- Option 24Ah lead acid battery
- Option lithium battery : 12/20/24/26/40/52A

TEW517

- Aluminum alloy frame
- NFC unlocking
- Brushless motor + brushless controller
- Built-in automatic braking system
- 3-speed adjustment with turning deceleration function





Frame Material :	aluminum alloy	Motor Power :	24V 180W Brushless
Battery Type :	24V 12Ah lithium	Max. Load :	120 kg
Reverse Speed :	0-3 km/h	Forward Speed :	0-8 km/h
Climbing Angle :	9°	Turning Radius :	120 cm
Seat Width :	43 cm	Driving Range :	15 km
Backrest Height :	43 cm	Seat Height :	40-50 cm
Rear Wheel Dia. :	24.1 cm	Front Wheel Dia. :	20.3 cm
Dim. (Folded) :	97×56×26 cm	Dim. (Unfolded) :	97×89×56 cm
G.W. :	24 kgs	Packing Dim. :	103×58×30 cm
N.W. (Without Battery) :	-	N.W. :	20 kgs
Load Qty (20GP/40HQ) :			176/412 pcs

OPTIONAL ACCESSORIES

TEW520

- 950W high-power mobility motor
- Equipped with 38Ah battery, max range up to 48km
- Fitted with 8 shock-absorbing springs, suitable for various terrains





Frame Material :	Steel frame	Motor Power :	24V 960W Brushed
Battery Type :	24V 38Ah Lead-acid	Max. Load :	150 kg
Reverse Speed :	0-3 km/h	Forward Speed :	0-15 km/h
Climbing Angle :	9°	Turning Radius :	170 cm
Seat Width :	48 cm	Driving Range :	48 km
Backrest Height :	48 cm	Seat Height :	65-70 cm
Rear Wheel Dia. :	33 cm	Front Wheel Dia. :	33 cm
Dim. (Folded) :	-	Dim. (Unfolded) :	135×100×60 cm
G.W. :	135.4 kgs	Packing Dim. :	145×74×85 cm
N.W. (Without Battery) :	114 kgs	N.W. :	-
Load Qty (20GP/40HQ) :			35/72 pcs

OPTIONAL ACCESSORIES

- Side storage bag
- Dinning table
- Wireless remote control
- Rear attendant controller
- Option lithium/Lead acid battery : 24V 12/20/32A

TEW600

- 15.4kg ultralight magnesium alloy scooter
- Automatic braking system
- LED headlights and taillights
- One-click quick folding for easy portability
- PU foam filled PVC seat cushion, waterproof





Frame Material :	Magnesium alloy	Motor Power :	24V 270W Brushless
Battery Type :	24V 6.6Ah*1 lithium	Max. Load :	120 kg
Reverse Speed :	0-3 km/h	Forward Speed :	0-8 km/h
Climbing Angle :	9°	Turning Radius :	125 cm
Seat Width :	39 cm	Driving Range :	10 km
Backrest Height :	40 cm	Seat Height :	51-56 cm
Rear Wheel Dia. :	20.3 cm	Front Wheel Dia. :	20.3 cm
Dim. (Folded) :	50×50×37 cm	Dim. (Unfolded) :	98×95×50 cm
G.W. :	22 kgs	Packing Dim. :	99×51×30cm
N.W. (Without Battery) :	15.4 kgs	N.W. :	17 kgs
Load Qty (20GP/40HQ) :			451 pcs

OPTIONAL ACCESSORIES

- Side storage bag
- Dinning table
- Wireless remote control
- Option upgrade to electromagnetic brake

TEW615

- Carbon steel frame
- Optional rear storage basket
- 360° rotatable waterproof leather seat
- 300W high-performance motor
- Optional battery capacity (20Ah/ 30Ah/40Ah), max range up to 40km





Frame Material :	Steel frame	Motor Power :	24V 300W Brushed
Battery Type :	24V 12Ah Lead-acid	Max. Load :	120 kg
Reverse Speed :	0-3 km/h	Forward Speed :	0-8 km/h
Climbing Angle :	9°	Turning Radius :	140 cm
Seat Width :	40 cm	Driving Range :	15 km
Backrest Height :	40 cm	Seat Height :	57 cm
Rear Wheel Dia. :	20.3 cm	Front Wheel Dia. :	20.3 cm
Dim. (Folded) :	105×50×38 cm	Dim. (Unfolded) :	105×92.5×52 cm
G.W. :	38 kgs	Packing Dim. :	111×54.2×38 cm
N.W. (Without Battery) :	24.3 kgs	N.W. :	33.7 kgs
Load Qty (20GP/40HQ) :			320 pcs

OPTIONAL ACCESSORIES

- PG joystick controller
- Option seat width : 16/18/20inches
- Option 24Ah lead acid battery
- Option lithium battery : 12/20/24/26/40/52A



TSW809

- Chromed steel frame
- Fixed armrests
- Fixed footrest
- Solid casters
- Solid rear wheels

OPTIONAL ACCESSORIES



- 809B



- 802-35



Overall Width :	64 cm	Overall Height :	87 cm	Seat Width :	46 cm
Seat Height :	49 cm	Backrest Height :	38 cm	Max. Load :	100 kg
Front Wheel Dia. :	20 cm	Rear Wheel Dia. :	58 cm	N.W. :	16.7 kg
G.W. :	19 kg	Dim. :	94×23×89 cm		



TSW863ABJ

- Powder-coated steel frame
- Drop-back push handles
- Combined brake system
- Pneumatic-mag rear wheels
- Flip-up footrest
- Double cross bar
- Solid casters
- Fixed armrests

Overall Width :	63 cm	Overall Height :	91 cm
Seat Width :	46 cm	Seat Height :	48 cm
Backrest Height :	41 cm	Max. Load :	100 kg
Front Wheel Dia. :	15 cm	Rear Wheel Dia. :	30 cm
N.W. :	12.6 kg	G.W. :	14.4 kg
Dim. :			76×30×76 cm



TSW209AE-61

- Powder-coated steel frame
- Detachable desk armrests
- Detachable footrest
- Pneumatic rear wheels
- 24" seat width
- Drop-back push handles
- Detachable push bar
- Solid casters

Overall Width :	81 cm	Overall Height :	93 cm
Seat Width :	61 cm	Seat Height :	51 cm
Backrest Height :	41 cm	Max. Load :	125 kg
Front Wheel Dia. :	20 cm	Rear Wheel Dia. :	62 cm
N.W. :	22 kg	G.W. :	24.5 kg
Dim. :			86×37×83 cm



TSW868

- Powder-coated steel frame
- Double cross bar
- Fixed armrests
- Fixed footrest
- Solid casters
- Solid rear wheels

Overall Width :	59 cm	Overall Height :	91 cm
Seat Width :	46 cm	Seat Height :	47 cm
Backrest Height :	38 cm	Max. Load :	100 kg
Front Wheel Dia. :	20 cm	Rear Wheel Dia. :	59 cm
N.W. :	15 kg	G.W. :	17 kg
Dim. :			95×27×93 cm

TSW870ABJ

- Chromed steel frame
- Double cross bar
- Drop-back push handles with combined brake
- Fixed armrests
- Fixed footrest
- Solid casters
- Pneumatic-mag rear wheels

Overall Width :	60 cm	Overall Height :	89 cm
Seat Width :	41 cm	Seat Height :	45 cm
Backrest Height :	-	Max. Load :	100 kg
Front Wheel Dia. :	15 cm	Rear Wheel Dia. :	40 cm
N.W. :	14.6 kg	G.W. :	17.4 kg
Dim. :			82×28×76 cm



TSW875

- Powder-coated steel frame
- Fixed armrests
- Fixed footrest
- Solid casters
- Solid rear wheels

Overall Width :	65 cm	Overall Height :	86.5 cm
Seat Width :	46 cm	Seat Height :	50 cm
Backrest Height :	35 cm	Max. Load :	100 kg
Front Wheel Dia. :	20 cm	Rear Wheel Dia. :	58 cm
N.W. :	15.9 kg	G.W. :	18.6 kg
Dim. :			94×28×89 cm



TSW874A

- Chromed steel frame
- Double cross bar
- Drop-back push handles with combined brake
- Fixed armrests
- Fixed footrest
- Solid casters
- Solid rear wheels

Overall Width :	60 cm	Overall Height :	91 cm
Seat Width :	41 cm	Seat Height :	47 cm
Backrest Height :	40 cm	Max. Load :	100 kg
Front Wheel Dia. :	20 cm	Rear Wheel Dia. :	59 cm
N.W. :	17.4 kg	G.W. :	19.6 kg
Dim. :			94×28×78 cm





TSW901

TSW902C

- Chromed steel frame
- Detachable desk armrests
- Elevating footrest
- TPR casters
- Pneumatic rear wheels

Overall Width :	65 cm	Overall Height :	88 cm
Seat Width :	46 cm	Seat Height :	51 cm
Backrest Height :	40 cm	Max. Load :	100 kg
Front Wheel Dia. :	20 cm	Rear Wheel Dia. :	62 cm
N.W. :	19.3 kg	G.W. :	22 kg
Dim. :			80×28×89 cm



TSW901B

- Powder-coated steel frame
- Detachable armrests
- Detachable footrest
- PU casters
- Pneumatic-mag rear wheels

Overall Width :	64 cm	Overall Height :	88 cm
Seat Width :	46 cm	Seat Height :	50 cm
Backrest Height :	40 cm	Max. Load :	100 kg
Front Wheel Dia. :	20 cm	Rear Wheel Dia. :	61 cm
N.W. :	17.9 kg	G.W. :	22 kg
Dim. :			80×28×89 cm



TSW903

- Powder-coated steel frame
- Detachable armrests
- Detachable footrest
- Solid casters
- Solid rear wheels

Overall Width :	65 cm	Overall Height :	86 cm
Seat Width :	46 cm	Seat Height :	50 cm
Backrest Height :	40 cm	Max. Load :	100 kg
Front Wheel Dia. :	20 cm	Rear Wheel Dia. :	58 cm
N.W. :	17.9 kg	G.W. :	19.5 kg
Dim. :			80×28×89 cm

TSW904B

- Powder-coated steel frame
- Detachable desk armrests
- Detachable footrest
- Solid casters
- Pneumatic-mag rear wheels

Overall Width :	62 cm	Overall Height :	88 cm
Seat Width :	46 cm	Seat Height :	50 cm
Backrest Height :	40 cm	Max. Load :	100 kg
Front Wheel Dia. :	20 cm	Rear Wheel Dia. :	31 cm
N.W. :	14.3 kg	G.W. :	16.4 kg
Dim. :			75×25×89 cm





TSW907BC

- Chromed steel frame
- Elevating footrest
- Detachable desk armrests
- Solid casters
- Pneumatic-mag rear wheels

Overall Width :	58 cm	Overall Height :	88 cm
Seat Width :	41 cm	Seat Height :	50 cm
Backrest Height :	40 cm	Max. Load :	100 kg
Front Wheel Dia. :	20 cm	Rear Wheel Dia. :	40 cm
N.W. :	16.1 kg	G.W. :	18.3 kg
Dim. :			73×28×89 cm

TSW908AQ

- Chromed steel frame
- Quick-release pneumatic rear wheels
- Flip-up armrests
- Drop-back push handles
- Detachable footrest
- Solid casters

Overall Width :	64 cm	Overall Height :	94 cm
Seat Width :	46 cm	Seat Height :	51 cm
Backrest Height :	42 cm	Max. Load :	100 kg
Front Wheel Dia. :	15 cm	Rear Wheel Dia. :	61.5 cm
N.W. :	15.8 kg	G.W. :	18.6 kg
Dim. :			80×28×78 cm







TSW909

TSW951B-56

- Powder-coated steel frame
- Detachable footrest
- 22" seat width
- Rubber-foam casters
- Flip-up armrests
- Pneumatic-mag rear wheels

Overall Width :	73 cm	Overall Height :	93 cm
Seat Width :	56 cm	Seat Height :	54 cm
Backrest Height :	41 cm	Max. Load :	125 kg
Front Wheel Dia. :	20 cm	Rear Wheel Dia. :	62 cm
N.W. :	21.5 kg	G.W. :	24.1 kg
Dim. :			83×33×93 cm

TSW909B

- Powder-coated steel frame
- Solid casters
- Flip-up armrests
- Solid-mag rear wheels
- Detachable footrest

Overall Width :	62 cm	Overall Height :	93 cm
Seat Width :	46 cm	Seat Height :	49 cm
Backrest Height :	40 cm	Max. Load :	100 kg
Front Wheel Dia. :	20 cm	Rear Wheel Dia. :	62 cm
N.W. :	18.2 kg	G.W. :	20.5 kg
Dim. :			82×28×95 cm







TSW972

TSW972B

- Powder-coated steel frame
- Fixed armrests
- Detachable footrest
- Solid casters
- Solid-mag rear wheels

Overall Width :	63 cm	Overall Height :	89 cm
Seat Width :	46 cm	Seat Height :	49 cm
Backrest Height :	40 cm	Max. Load :	100 kg
Front Wheel Dia. :	20 cm	Rear Wheel Dia. :	62 cm
N.W. :	18.3 kg	G.W. :	20 kg
Dim. :			80×25×91 cm

TSW972BF2

- Powder-coated steel frame
- Detachable armrests
- Detachable & Length-adjustable footrest
- Solid casters
- Solid-mag rear wheels

Overall Width :	67 cm	Overall Height :	91.5 cm
Seat Width :	46 cm	Seat Height :	49 cm
Backrest Height :	40 cm	Max. Load :	100 kg
Front Wheel Dia. :	20 cm	Rear Wheel Dia. :	62 cm
N.W. :	19 kg	G.W. :	21.2 kg
Dim. :			82×31×93 cm





TSW975-51

- Chromed steel frame
- 20" seat width
- Detachable armrests
- Detachable footrest
- Solid casters
- Pneumatic rear wheels

Overall Width :	73 cm	Overall Height :	91 cm
Seat Width :	51 cm	Seat Height :	50 cm
Backrest Height :	-	Max. Load :	125 kg
Front Wheel Dia. :	20 cm	Rear Wheel Dia. :	62 cm
N.W. :	18.7 kg	G.W. :	21.3 kg
Dim. :			80×28×93 cm

TSW976ABJ-43

- Chromed steel frame
- Fixed armrests
- Detachable footrest
- Drop-back push handles with combined brake
- Solid wheels

Overall Width :	56 cm	Overall Height :	96 cm
Seat Width :	43 cm	Seat Height :	50 cm
Backrest Height :	42 cm	Max. Load :	100 kg
Front Wheel Dia. :	20 cm	Rear Wheel Dia. :	20 cm
N.W. :	12.9 kg	G.W. :	15.1 kg
Dim. :			74×26×78 cm





TRW904

- High-strength steel frame
- Vest-style H-shaped protective safety belt
- Rear brake system
- Backrest tilt adjustable: 85°-95°
- Detachable & adjustable leg supports
- Removable and foldable sun canopy
- Four seat-width sizes available : 12/14/16/18inch

OPTIONAL ACCESSORIES

- Tray table
- Headrest
- Head extender
- Knee separator
- Rain cover









Overall Width :	56/61.5/66/70 cm	Overall Height :	137.5/133 cm	Seat Width :	30.5/35.6/40.6/45.7 cm
Seat Height :	57 cm	Backrest Height :	63/64.5/65 cm	Max. Load :	75 kg
Front Wheel Dia. :	20.3 cm	Rear Wheel Dia. :	25.4 cm	N.W. :	15.36/15.6/16.26/16.55 kg
G.W. :	19.62/19.94/20.15/21.25 kg	Dim. :	122×34×47/123×36×38/135×35×42/135×39.5×37.5 cm		
Load Qty (20GP/40HQ) :	-	User Age :	2-6 yearsold/6-12 years old/12-16 years old/Adult		

TRW906

- Aluminum-alloy frame
- Rear foot-operated parking brake
- 5-point adjustable safety belt
- Adjustable seat width & depth, reclinable backrest
- Detachable seat with reversible mounting
- Height-adjustable footrest





Overall Width :	72.5 cm	Overall Height :	120 cm
Seat Width :	32-38 cm	Seat Height :	50 cm
Backrest Height :	-	Max. Load :	75 kg
Front Wheel Dia. :	20 cm	Rear Wheel Dia. :	30 cm
N.W. :	22.8 kg	G.W. :	29.8 kg
Dim. :			83×76×52 cm
Load Qty (20GP/40HQ) :	85/230 pcs	User Age :	7-10 years old

OPTIONAL ACCESSORIES

- Tray table
- Shoulder supports
- Rain cover

TRW906PLUS

- Aluminum-alloy frame
- Quick-release front & rear wheels
- Rear wheels with shock absorbers and self-locking brakes
- Detachable & reversible seat, max. adjustment angle : 38°
- Backrest adjustable : 75°-125°
- Footrest angle adjustable : 90°-180°





Overall Width :	-	Overall Height :	-
Seat Width :	32-36 cm	Seat Height :	60 cm
Backrest Height :	50-55 cm	Max. Load :	60 kg
Front Wheel Dia. :	23 cm	Rear Wheel Dia. :	30 cm
N.W. :	25.5 kg	G.W. :	33.5 kg
Dim. :			95×60×52 cm
Load Qty (20GP/40HQ) :	-	User Age :	7-10 years old

OPTIONAL ACCESSORIES

- Rain cover
- Sleeping bag

TRW258LBYGP

- Aluminum-alloy frame
- Standard detachable tray table
- Fully detachable seat and backrest
- 5-point safety belt
- Reclining high backrest with adjustable seat angles



Overall Width :	42 cm	Overall Height :	103cm
Seat Width :	30 cm	Seat Height :	49 cm
Backrest Height :	-	Max. Load :	75 kg
Front Wheel Dia. :	15 cm	Rear Wheel Dia. :	30 cm
N.W. :	18 kg	G.W. :	20.7 kg
Dim. :			80×41×69cm
Load Qty (20GP/40HQ) :	72/117 pcs	User Age :	1-6 years old

OPTIONAL ACCESSORIES

TRW258LBCGPYF1

- Aluminum-alloy frame
- Detachable cabin
- Backrest adjustable : 90°-170°
- Tilt-in-space : 0°-40°
- Elevating footrests
- 5-point safety belt



Overall Width :	42 cm	Overall Height :	101 cm
Seat Width :	32 cm	Seat Height :	50 cm
Backrest Height :	51 cm	Max. Load :	100 kg
Front Wheel Dia. :	15.2 cm	Rear Wheel Dia. :	30.5 cm
N.W. :	17.5 kg	G.W. :	19.5 kg
Dim. :			80×41×69 cm
Load Qty (20GP/40HQ) :	-	User Age :	1-6 years old

OPTIONAL ACCESSORIES

- Tray table

TRW907

- Lightweight aluminum-alloy frame
- Ergonomic headrest and seat cushions
- Reclinable backrest
- Tiltable seat
- Elevating adjustable footrests wit 3-hole positioning system





Overall Width :	56 cm	Overall Height :	132 cm
Seat Width :	38 cm	Seat Height :	57 cm
Backrest Height :	47.5 cm	Max. Load :	100 kg
Front Wheel Dia. :	17.8 cm	Rear Wheel Dia. :	40.6 cm
N.W. :	16.6 kg	G.W. :	19.5 kg
Dim. :			83×40×78 cm
Load Qty (20GP/40HQ) :	-	User Age :	-

OPTIONAL ACCESSORIES

TRW958LBCGPPY

- Lightweight aluminum-alloy frame
- Width-adjustable armrests
- Elevating adjustable footrest
- Adjustable & detachable headrest
- With Tilt-in-space function
- Reclinable backrest





Overall Width :	50 cm	Overall Height :	96-107 cm
Seat Width :	41 cm	Seat Height :	47 cm
Backrest Height :	32 cm	Max. Load :	75 kg
Front Wheel Dia. :	15 cm	Rear Wheel Dia. :	38 cm
N.W. :	21.4 kg	G.W. :	-
Dim. :			-
Load Qty (20GP/40HQ) :	-	User Age :	7-10 years old

OPTIONAL ACCESSORIES

- Detachable tray table

TRW958LBPYF8

- Aluminum pediatric wheelchair
- Tiltable seat
- PU wheels
- Adjustable seat size & seat height
- Movable armrest
- Adjustable footrest and headrest



Overall Width :	55 cm	Overall Height :	98-120 cm
Seat Width :	25-32 cm	Seat Height :	38-66 cm
Backrest Height :	32 cm	Max. Load :	35 kg
Front Wheel Dia. :	15 cm	Rear Wheel Dia. :	30 cm
N.W. :	24 kg	G.W. :	27 kg
Dim. :			86×53×45 cm
Load Qty (20GP/40HQ) :	-	User Age :	3-10 years old

OPTIONAL ACCESSORIES

TRW958LBCGPYF9

- Powder-coated aluminum alloy frame
- Seat cushion tilt adjustable : 0-40°
- Backrest angle adjustable : 95-160°
- Adjustable width
- Elevating adjustable footrest



Overall Width :	53.5 cm	Overall Height :	104-120 cm
Seat Width :	38/46 cm	Seat Height :	55 cm
Backrest Height :	42 cm	Max. Load :	75 kg
Front Wheel Dia. :	20 cm	Rear Wheel Dia. :	51cm
N.W. :	24.1 kg	G.W. :	28 kg
Dim. :			82×42×98 cm
Load Qty (20GP/40HQ) :	-	User Age :	-

OPTIONAL ACCESSORIES

- Detachable tray table

TRW985LBGY

- Aluminum chair frame
- Multi-axis adjustable headrest
- Detachable armrests
- Tilt-in-space function only
- Upgraded safety belt
- Solid front castors & pneumatic rear mag wheels



Overall Width :	52 cm	Overall Height :	97-116 cm
Seat Width :	38-44 cm	Seat Height :	48 cm
Backrest Height :	-	Max. Load :	75 kg
Front Wheel Dia. :	15 cm	Rear Wheel Dia. :	40 cm
N.W. :	18.3 kg	G.W. :	21 kg
Dim. :			84×40×95 cm
Load Qty (20GP/40HQ) :	-	User Age :	7-10 years old

OPTIONAL ACCESSORIES

TEW002LAS-35

- Aluminum alloy children wheelchair
- Breathable seat and back cushion
- 250W×2 motor syste
- 12Ah lead-acid battery



Overall Width :	52 cm	Overall Height :	92.5 cm
Seat Width :	35 cm	Seat Height :	48 cm
Backrest Height :	40 cm	Max. Load :	100 kg
Front Wheel Dia. :	20 cm	Rear Wheel Dia. :	45 cm
N.W. :	37 kg	G.W. :	43 kg
Dim. :			88×53×83 cm
Load Qty (20GP/40HQ) :	-	User Age :	-

OPTIONAL ACCESSORIES

TEW110A(LE)-S

- Aluminum alloy children wheelchair
- Breathable seat and back cushion
- 250W×2 motor syste
- 12Ah lithium battery
- Electromagnetic brake system



Overall Width :	54 cm	Overall Height :	96 cm
Seat Width :	35 cm	Seat Height :	51cm
Backrest Height :	-	Max. Load :	100 kg
Front Wheel Dia. :	20.32 cm	Rear Wheel Dia. :	30.48 cm
N.W. :	26.4 kg	G.W. :	31.8 kg
Dim. :			71×47.5×81 cm
Load Qty (20GP/40HQ) :	-	User Age :	-

OPTIONAL ACCESSORIES

TEW112LF4

- Aluminum alloy children wheelchair
- Breathable seat and back cushion
- 250W×2 motor syste
- 7.8Ah lithium battery
- Electromagnetic brake system
- Optional ergonomic headrest





Overall Width :	53 cm	Overall Height :	88.5 cm
Seat Width :	35 cm	Seat Height :	46 cm
Backrest Height :	-	Max. Load :	75 kg
Front Wheel Dia. :	20 cm	Rear Wheel Dia. :	30 cm
N.W. :	27.5 kg	G.W. :	29.5 kg
Dim. :			82×46×98 cm
Load Qty (20GP/40HQ) :	-	User Age :	-

OPTIONAL ACCESSORIES

- Detachable tray table

TEW121LF1K

- Aluminum alloy children electric wheelchair
- Reclining high backrest
- Adjustable seat width
- Adjustable PU armrests
- Travel range of up to 20km
- 24V 23Ah lithium battery
- 200W×2 motor system



Overall Width :	56 cm	Overall Height :	96 cm
Seat Width :	38 cm	Seat Height :	52 cm
Backrest Height :	-	Max. Load :	100 kg
Front Wheel Dia. :	20 cm	Rear Wheel Dia. :	32 cm
N.W. :	40 kg	G.W. :	48.9 kg
Dim. :			86×58×75 cm
Load Qty (20GP/40HQ) :	-	User Age :	-

OPTIONAL ACCESSORIES

TAW863LAJPF1-30

- Aluminum pediatric wheelchair frame
- Drop-back handle
- Foldable backrest
- Adjustable seat belt
- Dual safety system handbrake & attendant brake



Overall Width :	50 cm	Overall Height :	86 cm
Seat Width :	30 cm	Seat Height :	48 cm
Backrest Height :	40 cm	Max. Load :	75 kg
Front Wheel Dia. :	15 cm	Rear Wheel Dia. :	51 cm
N.W. :	11.2 kg	G.W. :	12.6 kg
Dim. :			80×30×66 cm
Load Qty (20GP/40HQ) :	-	User Age :	-

OPTIONAL ACCESSORIES

TAW874LAJ-30

- Aluminum pediatric wheelchair
- Fixed armrests and fixed footrests
- Drop-back handle
- Pneumatic rear wheels
- United brake system



Overall Width :	53 cm	Overall Height :	85 cm
Seat Width :	30 cm	Seat Height :	44 cm
Backrest Height :	-	Max. Load :	75 kg
Front Wheel Dia. :	15 cm	Rear Wheel Dia. :	53 cm
N.W. :	12.3 kg	G.W. :	14.4 kg
Dim. :			78×28×68 cm
Load Qty (20GP/40HQ) :	-	User Age :	-

OPTIONAL ACCESSORIES

TAW974LA-35

- Aluminum pediatric wheelchair
- Fixed armrests and fixed footrests
- Drop-back handle
- Pneumatic rear wheels
- United brake system



Overall Width :	55 cm	Overall Height :	87 cm
Seat Width :	35 cm	Seat Height :	42 cm
Backrest Height :	37 cm	Max. Load :	75 kg
Front Wheel Dia. :	10 cm	Rear Wheel Dia. :	53 cm
N.W. :	13.8 kg	G.W. :	16 kg
Dim. :			69×33×66 cm
Load Qty (20GP/40HQ) :	-	User Age :	-

OPTIONAL ACCESSORIES

TAW980LA-30

- Aluminum pediatric wheelchair
- Flip-up armrests and fixed footrest
- Drop-back handle
- Pneumatic rear wheels



Overall Width :	47 cm	Overall Height :	90 cm
Seat Width :	30 cm	Seat Height :	48 cm
Backrest Height :	-	Max. Load :	75 kg
Front Wheel Dia. :	15 cm	Rear Wheel Dia. :	53 cm
N.W. :	12.5 kg	G.W. :	15 kg
Dim. :			85×33×73 cm
Load Qty (20GP/40HQ) :	-	User Age :	-

OPTIONAL ACCESSORIES

TAW980LA-35

- Aluminum pediatric wheelchair
- Flip-up armrests and fixed footrest
- Drop-back handle
- Pneumatic rear wheels



Overall Width :	52 cm	Overall Height :	93 cm
Seat Width :	35 cm	Seat Height :	48 cm
Backrest Height :	-	Max. Load :	75 kg
Front Wheel Dia. :	15 cm	Rear Wheel Dia. :	58 cm
N.W. :	13 kg	G.W. :	15 kg
Dim. :			85×33×73 cm
Load Qty (20GP/40HQ) :	-	User Age :	-

OPTIONAL ACCESSORIES

TAW980LQF3-30

- Lightweight aluminum pediatric wheelchair
- Detachable footrests
- Quick-release rear wheels
- Flip-up and height-adjustable armrests



Overall Width :	46 cm	Overall Height :	88 cm
Seat Width :	30 cm	Seat Height :	52 cm
Backrest Height :	-	Max. Load :	75 kg
Front Wheel Dia. :	15 cm	Rear Wheel Dia. :	52 cm
N.W. :	12.5 kg	G.W. :	15.5 kg
Dim. :			74×33×99 cm
Load Qty (20GP/40HQ) :	-	User Age :	-

OPTIONAL ACCESSORIES

TAW980LQF8

- Aluminum pediatric wheelchair frame
- Quick-release pneumatic rear wheels
- Adjustable seat width, seat depth and seat-to-floor height



Overall Width :	50-60 cm	Overall Height :	87-92 cm
Seat Width :	25-32 cm	Seat Height :	47 cm
Backrest Height :	-	Max. Load :	100 kg
Front Wheel Dia. :	15 cm	Rear Wheel Dia. :	52 cm
N.W. :	14.4 kg	G.W. :	17.4 kg
Dim. :			76×39×90 cm
Load Qty (20GP/40HQ) :	-	User Age :	-

OPTIONAL ACCESSORIES

- Detachable tray table

TSW802-35

- Steel pediatric wheelchair
- Fixed armrests and fixed footrests
- Solid rear wheels



Overall Width :	55 cm	Overall Height :	88 cm
Seat Width :	35 cm	Seat Height :	47 cm
Backrest Height :	-	Max. Load :	75 kg
Front Wheel Dia. :	15 cm	Rear Wheel Dia. :	55 cm
N.W. :	16 kg	G.W. :	18.5 kg
Dim. :			88×23×89 cm
Load Qty (20GP/40HQ) :	-	User Age :	-

OPTIONAL ACCESSORIES

TSW909P-31

- Steel pediatric wheelchair
- Flip-up armrests and detachable footrest
- PU rear wheels



Overall Width :	47 cm	Overall Height :	88 cm
Seat Width :	31 cm	Seat Height :	45 cm
Backrest Height :	-	Max. Load :	75 kg
Front Wheel Dia. :	15 cm	Rear Wheel Dia. :	52 cm
N.W. :	13.5 kg	G.W. :	15.5 kg
Dim. :			71×26×90 cm
Load Qty (20GP/40HQ) :	-	User Age :	-

OPTIONAL ACCESSORIES

TBB566

- Aluminum frame
- Quck dry and breathable material
- Full adjustable angle
- Compact foldable design
- Standard with head lateral support, chest belt, leg strap, calf strap
- Optional : folable wheeled elevated base
- Optional size : XXXS-XXXXl (10 size)





Overall Width :	56/61.5/66/70 cm	Overall Height :	137.5/133 cm	Seat Width :	30.5/35.6/40.6/45.7 cm
Seat Height :	57 cm	Backrest Height :	63/64.5/65 cm	Max. Load :	75 kg
Front Wheel Dia. :	20.3 cm	Rear Wheel Dia. :	25.4 cm	N.W. :	15.36/15.6/16.26/16.55 kg
G.W. :	19.62/19.94/20.15/21.25 kg	Dim. :			122×34×47/123×36×38/135×35×42/135×39.5×37.5 cm
Load Qty (20GP/40HQ) :	-	User Age :			2-6 yearsold/6-12 years old/12-16 years old/Adult



TMSW101

Overall Height :	110-140 cm
Seat Width :	84 cm
Seat Height :	-
Seat Depth :	-
Backrest Height :	-
Max. Load :	135 kg
N.W. :	-
G.W. :	50 kg
Dim. :	-
Packing :	-



TMSW106

Overall Height :	80-92 cm
Seat Width :	-
Seat Height :	-
Seat Depth :	-
Backrest Height :	-
Max. Load :	40 kg
N.W. :	48 kg
G.W. :	50 kg
Dim. :	57.5×55×79 cm
Packing :	-

TMSW102

Overall Height :	122 cm
Seat Width :	-
Seat Height :	-
Seat Depth :	-
Backrest Height :	-
Max. Load :	60 kg
N.W. :	62 kg
G.W. :	65 kg
Dim. :	-
Packing :	-



TMSW108

Overall Height :	70-110 cm
Seat Width :	-
Seat Height :	-
Seat Depth :	-
Backrest Height :	-
Max. Load :	60 kg
N.W. :	52 kg
G.W. :	55 kg
Dim. :	-
Packing :	-





TCM813(S)

Overall Height :	86-96 cm
Seat Width :	44 cm
Seat Height :	46-56 cm
Seat Depth :	-
Backrest Height :	35 cm
Max. Load :	100 kg
N.W. :	10.1 kg
G.W. :	12 kg
Dim. :	62×52×88 cm
Packing :	-



TWA9121L-A

Overall Height :	41-51 cm
Seat Width :	-
Seat Height :	-
Seat Depth :	-
Backrest Height :	-
Max. Load :	100 kg
Front wheel dia.:	7.6 cm
Rear wheel dia.:	7.6 cm
N.W. :	5.2 kg
G.W. :	6.2 kg
Dim. :	59×30×52 cm
Packing :	2 pc/carton

TWA912(XS)

Overall Height :	48.5-58.5 cm
Seat Width :	-
Seat Height :	-
Seat Depth :	-
Backrest Height :	-
Max. Load :	100 kg
Front wheel dia.:	7.6 cm
Rear wheel dia.:	-
N.W. :	3.6 kg
G.W. :	4.6 kg
Dim. :	53×18×52 cm
Packing :	2 pc/carton



TWA9122L-A

Overall Height :	60-70 cm
Seat Width :	-
Seat Height :	-
Seat Depth :	-
Backrest Height :	-
Max. Load :	100 kg
Front wheel dia.:	7.6 cm
Rear wheel dia.:	7.6 cm
N.W. :	8.6 kg
G.W. :	9.7 kg
Dim. :	61×25×80 cm
Packing :	2 pc/carton





TWA9123L(S)-B

Overall Height :	54-64 cm
Seat Width :	-
Seat Height :	-
Seat Depth :	-
Backrest Height :	-
Max. Load :	100 kg
Front wheel dia.:	7.6 cm
Rear wheel dia.:	7.6 cm
N.W. :	6.6 kg
G.W. :	7.9 kg
Dim. :	68×29×59 cm
Packing :	2 pc/carton



TWA9609L-Adult

Overall Height :	116-140 cm
Seat Width :	-
Seat Height :	-
Seat Depth :	-
Backrest Height :	-
Max. Load :	100 kg
Front wheel dia.:	10 cm
Rear wheel dia.:	7.6 cm
N.W. :	13.4 kg
G.W. :	15 kg
Dim. :	73×23×87.5 cm
Packing :	1 pc/carton

TWA9609L-Chilren

Overall Height :	90-107 cm
Seat Width :	-
Seat Height :	-
Seat Depth :	-
Backrest Height :	-
Max. Load :	100 kg
Front wheel dia.:	10 cm
Rear wheel dia.:	7.6 cm
N.W. :	13.4 kg
G.W. :	15 kg
Dim. :	73×23×87.5 cm
Packing :	1 pc/carton



TWA9611

Overall Height :	61-93 cm
Seat Width :	-
Seat Height :	-
Seat Depth :	-
Backrest Height :	-
Max. Load :	100 kg
Front wheel dia.:	7.6 cm
Rear wheel dia.:	7.6 cm
N.W. :	12.9 kg
G.W. :	14.4 kg
Dim. :	82×17×63 cm
Packing :	1 pc/carton



TWA9716L

- Adjustable overall height, internal width and depth
- Adjustable armrest height and backrest angle
- Swivel casters with swivel lock & travel damping adjustment
- Foldable base frame for easy storage and transportation





Overall Width :	55.5 cm	Overall Height :	89-114 cm
Seat Width :	44 cm	Seat Height :	-
Backrest Height :	-	Max. Load :	76 kg
Front Wheel Dia. :	-	Rear Wheel Dia. :	-
N.W. :	-	G.W. :	-
Dim. :			-
Load Qty (20GP/40HQ) :	-	User Age :	-

- S/M/L 3 sizes, fits users height 100-175cm, children & adults with mobility disabilities

TWA9723L

- Dual gas-spring stepless adjustment
- Adjustable front-rear wheelbase
- One-switch quick-folding system
- Suitable for user heights : 100-200cm
- Adjustable waist support in height and width





Overall Width :	-	Overall Height :	58-130 cm
Seat Width :	-	Seat Height :	28-92 cm
Backrest Height :	-	Max. Load :	150 kg
Front Wheel Dia. :	12.7 cm	Rear Wheel Dia. :	20.3 cm
N.W. :	31 kg	G.W. :	34 kg
Dim. :			72×40×85 cm
Load Qty (20GP/40HQ) :	-	User Age :	-

OPTIONAL ACCESSORIES



TLS731LQ-36

- Aluminum leisure wheelchair
- Quick-release rear wheels
- Detachable armrests



Overall Width :	65 cm	Overall Height :	86 cm	Seat Width :	36 cm
Seat Height :	52 cm	Backrest Height :	-	Max. Load :	100 kg
Front Wheel Dia. :	10 cm	Rear Wheel Dia. :	60 cm	N.W. :	10.2 kg
G.W. :	12 kg	Dim. :	76×62×63 cm		



TLS720LQ-36

- Aluminum leisure folding wheelchair
- Quick-release rear wheels
- Optional seat width : 36/38/41/46cm

Overall Width :	59 cm	Overall Height :	72 cm
Seat Width :	36 cm	Seat Height :	48 cm
Backrest Height :	29 cm	Max. Load :	100 kg
Front Wheel Dia. :	10 cm	Rear Wheel Dia. :	60 cm
N.W. :	11.3 kg	G.W. :	13 kg
Dim. :			87×36×73 cm



TLS706

- Carbon fiber color
- Mesh comfortable and breathable seat Back Pad
- Quick release rear wheel
- Backrest can be reclined forward
- Seat height can be adjustable

Overall Width :	58 cm	Overall Height :	81 cm
Seat Width :	38 cm	Seat Height :	48-56 cm
Backrest Height :	-	Max. Load :	120 kg
Front Wheel Dia. :	10 cm	Rear Wheel Dia. :	61 cm
N.W. :	14.2 kg	G.W. :	16.5 kg
Dim. :			76×61×62 cm



TLS721LQ-36

- Aluminum Chair Frame
- Fixed Armrests
- Fixed Footrest
- 3-Fork Quick-Release Rear Wheels
- U-Shape Angle-Adjustable Footplate
- Optional Seat Width : 36/38/41/46cm

Overall Width :	58 cm	Overall Height :	72 cm
Seat Width :	36 cm	Seat Height :	48 cm
Backrest Height :	29 cm	Max. Load :	100 kg
Front Wheel Dia. :	10 cm	Rear Wheel Dia. :	60 cm
N.W. :	11.6 kg	G.W. :	13.6 kg
Dim. :			87×36×73 cm

TLS722LQ-36

- Aluminum double-cross chair frame
- Fixed armrests
- Fixed footrest
- Quick-release rear wheels
- U-shape angle-adjustable footplate
- Optional seat width : 34/36/38/41cm

Overall Width :	57 cm	Overall Height :	72 cm
Seat Width :	36 cm	Seat Height :	48 cm
Backrest Height :	28	Max. Load :	100 kg
Front Wheel Dia. :	10 cm	Rear Wheel Dia. :	60 cm
N.W. :	11.6 kg	G.W. :	13.6 kg
Dim. :			89×36×76 cm



TLS723LQ-36

- Aluminum chair frame
- Fixed armrests
- Fixed footrest
- U-shape angle-adjustable footplate
- Solid casters
- Quick-release rear wheels

Overall Width :	56 cm	Overall Height :	76 cm
Seat Width :	36 cm	Seat Height :	48 cm
Backrest Height :	32 cm	Max. Load :	100 kg
Front Wheel Dia. :	10 cm	Rear Wheel Dia. :	60 cm
N.W. :	8 kg	G.W. :	11 kg
Dim. :			87×36×79 cm



TLS723LQF1-36

- Aluminum leisure wheelchair
- Quick-release rear wheels
- With comfortable seat cushion

Overall Width :	60 cm	Overall Height :	84 cm
Seat Width :	36 cm	Seat Height :	49 cm
Backrest Height :	-	Max. Load :	100 kg
Front Wheel Dia. :	10 cm	Rear Wheel Dia. :	60 cm
N.W. :	13.1 kg	G.W. :	15.1 kg
Dim. :			87×36×79 cm





TLS723LQF15

- Aluminum leisure wheelchair
- Quick-release rear wheels
- Comfortable seat cushion

Overall Width :	58 cm	Overall Height :	72 cm
Seat Width :	36 cm	Seat Height :	50 cm
Backrest Height :	-	Max. Load :	100 kg
Front Wheel Dia. :	10 cm	Rear Wheel Dia. :	60 cm
N.W. :	9.3 kg	G.W. :	12 kg
Dim. :			76×62×50 cm



TLS723LQF14-38

- Aluminum chair frame
- Height-adjustable footrest
- Solid PVC front wheels
- Aluminum handwheel
- Quick-release pneumatic rear wheels

Overall Width :	53 cm	Overall Height :	80 cm
Seat Width :	38 cm	Seat Height :	50 cm
Backrest Height :	28 cm	Max. Load :	100 kg
Front Wheel Dia. :	10 cm	Rear Wheel Dia. :	60 cm
N.W. :	12.5 kg	G.W. :	14.5 kg
Dim. :			85×30×83 cm

TLS723LQF14-38

- Aluminum leisure wheelchair
- Quick-release rear wheels
- Comfortable cushion

Overall Width :	53 cm	Overall Height :	80 cm
Seat Width :	38 cm	Seat Height :	50 cm
Backrest Height :	28 cm	Max. Load :	100 kg
Front Wheel Dia. :	10 cm	Rear Wheel Dia. :	60 cm
N.W. :	12.5 kg	G.W. :	14.5 kg
Dim. :			85×30×83 cm



TLS725LQ

- Aluminum leisure wheelchair
- Quick-release rear wheels
- Comfortable seat cushion

Overall Width :	58 cm	Overall Height :	80 cm
Seat Width :	36/41 cm	Seat Height :	51 cm
Backrest Height :	-	Max. Load :	100 kg
Front Wheel Dia. :	10.2 cm	Rear Wheel Dia. :	60.9 cm
N.W. :	10.5 kg	G.W. :	11.5 kg
Dim. :			101.5×29×63 cm





TLS727LQ-36

- Aluminum chair frame
- Removable armrest baffle
- Fixed footrest
- Solid casters
- Quick-release rear wheels

Overall Width :	52 cm	Overall Height :	76 cm
Seat Width :	36 cm	Seat Height :	48 cm
Backrest Height :	30 cm	Max. Load :	100 kg
Front Wheel Dia. :	10 cm	Rear Wheel Dia. :	60 cm
N.W. :	10.6 kg	G.W. :	13.6 kg
Dim. :			87×36×80 cm

TLS727LQF1-36

- Aluminum leisure wheelchair
- Quick-release rear wheels
- Comfortable seat cushion

Overall Width :	55 cm	Overall Height :	84 cm
Seat Width :	36 cm	Seat Height :	49 cm
Backrest Height :	31 cm	Max. Load :	100 kg
Front Wheel Dia. :	10 cm	Rear Wheel Dia. :	60 cm
N.W. :	10.3 kg	G.W. :	13 kg
Dim. :			83×34×84 cm



TLS730LQ-36

- Aluminum chair frame
- Removable armrest baffle
- Height-adjustable footplate
- Solid casters
- Quick-release pneumatic rear wheels

Overall Width :	67 cm	Overall Height :	78 cm
Seat Width :	36 cm	Seat Height :	48 cm
Backrest Height :	33 cm	Max. Load :	100 kg
Front Wheel Dia. :	10 cm	Rear Wheel Dia. :	60 cm
N.W. :	9.5 kg	G.W. :	11.8 kg
Dim. :			76×62×50 cm





TLS730LQF10-36

- Aluminum chair frame
- Foldable back
- Detachable armrest
- Height-adjustable footplate
- Quick-release light-weight pneumatic rear wheel
- Additional sponge seat and back cushion
- Shock springs under the seat

Overall Width :	51 cm	Overall Height :	75 cm
Seat Width :	36 cm	Seat Height :	54 cm
Backrest Height :	-	Max. Load :	100 kg
Front Wheel Dia. :	7.5 cm	Rear Wheel Dia. :	61 cm
N.W. :	11.5 kg	G.W. :	15 kg
Dim. :			78×52×63 cm

TLS732LQ-36

- Aluminum chair frame
- Removable armrest baffle
- Height-adjustable footplate
- Solid casters
- Quick-release pneumatic rear wheels

Overall Width :	58 cm	Overall Height :	76 cm
Seat Width :	36 cm	Seat Height :	50 cm
Backrest Height :	33 cm	Max. Load :	100 kg
Front Wheel Dia. :	10 cm	Rear Wheel Dia. :	60 cm
N.W. :	9.3 kg	G.W. :	12 kg
Dim. :			76×62×50 cm





TLS734LQ-36

- Aluminum chair frame
- Removable armrest baffle
- Height-adjustable footplate
- Solid casters
- Quick-release pneumatic rear wheels

Overall Width :	59 cm	Overall Height :	78 cm
Seat Width :	36 cm	Seat Height :	51 cm
Backrest Height :	32 cm	Max. Load :	100 kg
Front Wheel Dia. :	10 cm	Rear Wheel Dia. :	60 cm
N.W. :	12.6 kg	G.W. :	15.9 kg
Dim. :			79×60×59 cm

THE736LQ-36

- Aluminum leisure wheelchair
- Quick-release rear wheels
- Comfortable seat cushion

Overall Width :	52 cm	Overall Height :	77 cm
Seat Width :	36 cm	Seat Height :	52 cm
Backrest Height :	-	Max. Load :	100 kg
Front Wheel Dia. :	10 cm	Rear Wheel Dia. :	60 cm
N.W. :	12.8 kg	G.W. :	15 kg
Dim. :			86×38×67 cm





TLS737LQ-36

- Aluminum chair frame
- Removable armrest baffle
- Height-adjustable footplate
- Solid casters
- Quick-release pneumatic rear wheels

Overall Width :	64 cm	Overall Height :	79 cm
Seat Width :	36 cm	Seat Height :	47 cm
Backrest Height :	35 cm	Max. Load :	100 kg
Front Wheel Dia. :	10 cm	Rear Wheel Dia. :	60 cm
N.W. :	10.5 kg	G.W. :	14 kg
Dim. :			84×61×70 cm



THE778LQ-36
(3.5-4.5 Players)

THE779LQ-36
(1.0-3.0 Players)

- High-end basketball wheelchair
- Aluminum chair frame
- USA-imported spinergy rear wheels
- Carbon-fiber spokes
- Quick-release rear wheels
- Easy wheel removal & storage
- Fitted with foot, thigh and lumbar safety belts



Overall Width :	93 cm	Overall Height :	75 cm	Seat Width :	36 cm
Seat Height :	56 cm	Backrest Height :	-	Max. Load :	100 kg
Front Wheel Dia. :	6 cm	Rear Wheel Dia. :	65 cm	N.W. :	13.6 kg
G.W. :	15 kg	Dim. :	80×84×78 cm		

TLS710L-30
Speed king

- Aluminum chair frame
- Pneumatic front casters
- Pneumatic rear wheels
- Aluminum hand-rims
- Aluminum guard panels



TLS735LQ-36
Pool Wheelchair

- Aluminum-alloy frame
- Height-adjustable footrest
- Solid PVC front wheels
- Quick-release PU rear wheels
- Plastic handwheel
- Flip-up armrest



TLS755LQ-36
Dancing

- Aluminum-alloy frame
- Height-adjustable footrest
- Solid PVC front wheels
- Quick-release pneumatic rear wheels
- Aluminum handwheel
- Aluminum-alloy guard plate



TLS756LQ-36
Ping Pong

- Aluminum-alloy frame
- Height-adjustable footrest
- Solid PVC front wheels
- Quick-release pneumatic rear wheels
- Aluminum handwheel
- Aluminum-alloy guard plate



TLS766LQ-36
Fencing

- Aluminum-alloy frame
- Height-adjustable footrest
- Solid PVC front wheels
- Quick-release pneumatic rear wheels
- Aluminum handwheel



TLS770LQ-32
Rugby Defensive

- Aluminum-alloy frame
- Height-adjustable footrest
- Solid PVC front wheels
- Quick-release pneumatic rear wheels
- Aluminum handwheel
- Aluminum-alloy guard plate



TLS771LQ-32
Rugby Offensive

- Aluminum-alloy frame
- Height-adjustable footrest
- Solid PVC front wheels
- Quick-release pneumatic rear wheels
- Aluminum handwheel
- Aluminum-alloy guard plate



TLS777LQ-32
Basketball Center

- Aluminum-alloy frame
- Height-adjustable footrest
- Solid PVC front wheels
- Quick-release pneumatic rear wheels
- Aluminum handwheel
- Aluminum-alloy guard plate



TLS778LQ-36
Basketball Forward

- Aluminum-alloy frame
- Height-adjustable footrest
- Solid PVC front wheels
- Quick-release pneumatic rear wheels
- Aluminum handwheel
- Aluminum-alloy guard plate



TLS779LQ-36
Basketball Guard

- Aluminum-alloy frame
- Height-adjustable footrest
- Solid PVC front wheels
- Quick-release pneumatic rear wheels
- Aluminum handwheel
- Aluminum-alloy guard plate



TLS785LQ-36
Tennis

- Aluminum-alloy frame
- Height-adjustable footrest
- Solid PVC front wheels
- Quick-release pneumatic rear wheels
- Aluminum handwheel
- Aluminum-alloy guard plate



TLS786LQ-36
Badminton

- Aluminum-alloy frame
- Height-adjustable footrest
- Solid PVC front wheels
- Quick-release pneumatic rear wheels
- Aluminum handwheel
- Aluminum-alloy guard plate



TRW204BJ

- Powder coated steel frame
- Reclining high back
- Combined brake
- Tilting seat
- Elevating footrest
- Tpr casters
- Adjustable & detachable headrest
- Height-adjustable armrests
- Pneumatic rear wheels
- Optional accessories: neck cushion



Overall Width :	68 cm	Overall Height :	121-133 cm
Seat Width :	46 cm	Seat Height :	58 cm
Backrest Height :	-	Max. Load :	150 kg
Front Wheel Dia. :	20 cm	Rear Wheel Dia. :	61 cm
N.W. :	37.7 kg	G.W. :	42.5 kg
Dim. :			88×64×84 cm
Load Qty (20GP/40HQ) :	-	User Age :	-

TRW204L

- Aluminum chair frame
- Comfortable ergonomic seat
- Detachable & Height-adjustable armrests
- Detachable elevating footrest
- Solid casters
- Pneumatic rear wheels



Overall Width :	66.5 cm	Overall Height :	109-125 cm
Seat Width :	41.5 cm	Seat Height :	58 cm
Backrest Height :	-	Max. Load :	100 kg
Front Wheel Dia. :	20 cm	Rear Wheel Dia. :	62 cm
N.W. :	24.4 kg	G.W. :	28 kg
Dim. :			92×66×107 cm
Load Qty (20GP/40HQ) :	-	User Age :	-

TAW206LABJ

- Aluminum chair frame with drop-back handles
- Combined brake
- Detachable headrest
- Tilted seat
- Detachable footrest
- Mag-alloy rear wheels
- Flip-up & Adjustable armrests



Overall Width :	70 cm	Overall Height :	108 cm
Seat Width :	47 cm	Seat Height :	51 cm
Backrest Height :	-	Max. Load :	100 kg
Front Wheel Dia. :	17.8 cm	Rear Wheel Dia. :	50.8 cm
N.W. :	-	G.W. :	-
Dim. :			-
Load Qty (20GP/40HQ) :	-	User Age :	-

TRW212BCEG

- Chromed steel frame
- Reclining high back
- Flip-up desk armrests
- Elevating footrest
- Solid casters
- Pneumatic-mag rear wheels
- Foldable push bar



Overall Width :	55 cm	Overall Height :	107 cm
Seat Width :	41.5 cm	Seat Height :	49 cm
Backrest Height :	-	Max. Load :	100 kg
Front Wheel Dia. :	15 cm	Rear Wheel Dia. :	40 cm
N.W. :	20.2 kg	G.W. :	22.4 kg
Dim. :			88×33×109 cm
Load Qty (20GP/40HQ) :	-	User Age :	-

TRW902GC-46

- Powder-coated steel frame
- Movable armrests
- Reclining high back
- Elevating footrest
- Solid casters
- Solid rear wheels
- Optional accessories: neck cushion



Overall Width :	65 cm	Overall Height :	119 cm
Seat Width :	46 cm	Seat Height :	50 cm
Backrest Height :	-	Max. Load :	100 kg
Front Wheel Dia. :	20 cm	Rear Wheel Dia. :	58 cm
N.W. :	22.3 kg	G.W. :	27.5 kg
Dim. :			95×34×92 cm
Load Qty (20GP/40HQ) :	-	User Age :	-

TRW954LGC

- Aluminum chair frame
- Reclining high back
- Pneumatic rear wheels
- Plastic hand rims
- Adjustable & detachable headrest
- Detachable armrests
- Elevating footrest
- Solid casters



Overall Width :	68 cm	Overall Height :	128 cm
Seat Width :	46 cm	Seat Height :	51 cm
Backrest Height :	-	Max. Load :	100 kg
Front Wheel Dia. :	20 cm	Rear Wheel Dia. :	62 cm
N.W. :	18.3 kg	G.W. :	21 kg
Dim. :			98×35×89 cm
Load Qty (20GP/40HQ) :	-	User Age :	-



TRW954LGCJF4

- Aluminum chair frame
- Reclining high back
- Adjustable & Detachable headrest
- Flip-up & detachable armrests
- Elevating footrest
- Solid casters
- Pneumatic rear wheels
- Plastic hand rims
- Combined brake

Overall Width :	66 cm	Overall Height :	123 cm
Seat Width :	46 cm	Seat Height :	48 cm
Backrest Height :	-	Max. Load :	100 kg
Front Wheel Dia. :	15 cm	Rear Wheel Dia. :	58 cm
N.W. :	19 kg	G.W. :	22.7 kg
Dim. :			96×35×85 cm

TAW956L

- Reclining backrest with adjustable headrest
- Flip-up armrests
- Compact folding size with telescopic rod, easy portability

Overall Width :	57 cm	Overall Height :	91 cm
Seat Width :	41 cm	Seat Height :	50 cm
Backrest Height :	-	Max. Load :	100 kg
Front Wheel Dia. :	15.3 cm	Rear Wheel Dia. :	30.5 cm
N.W. :	12 kg	G.W. :	14 kg
Dim. :			56×34×79 cm





THE004LBCGJP

- Aluminum chair frame
- Reclining high back
- Adjustable & detachable headrest
- Flip-up & Detachable armrests
- Height-adjustable armrest pads
- Elevating footrest
- Solid casters
- PU mag rear wheels

Overall Width :	67 cm	Overall Height :	129 cm
Seat Width :	47 cm	Seat Height :	52.5 cm
Backrest Height :	-	Max. Load :	100 kg
Front Wheel Dia. :	20 cm	Rear Wheel Dia. :	61 cm
N.W. :	22.3 kg	G.W. :	24.3 kg
Dim. :			90×36×98 cm



THE010

- Aluminum chair frame
- Dual rear-wheel motor system
- Front & rear control options
- Carbon-fiber texture coating
- Reversible backrest; side-mountable removable footrest
- 10-inch front wheels, 8-inch powered rear wheels





Overall Width :	67.5 cm	Overall Height :	88.5-106.5 cm	Seat Width :	46 cm
Seat Height :	55 cm	Backrest Height :	-	Max. Load :	136 kg
Front Wheel Dia. :	25.4 cm	Rear Wheel Dia. :	20.3 cm	N.W. :	18.3 kg
G.W. :	-	Dim. :	-		



TWA004

Overall Height :	83.5-94.5 cm
Seat Width :	55.5 cm
Seat Height :	-
Max. Load :	-
N.W. :	6.6 kg
G.W. :	7.8 kg
Dim. :	85.5×55.5×22 cm
Packing :	1 pc/carton



TWA913L

Overall Height :	78-96 cm
Seat Width :	46 cm
Seat Height :	-
Max. Load :	-
N.W. :	4.8 kg
G.W. :	5.7 kg
Dim. :	53×17×81 cm
Packing :	2 pc/carton

TWA912L

Overall Height :	78-96 cm
Seat Width :	44 cm
Seat Height :	-
Max. Load :	-
N.W. :	5.5 kg
G.W. :	6.7 kg
Dim. :	58×18×82 cm
Packing :	2 pc/carton



TWA914H-1

Overall Height :	78-90 cm
Seat Width :	43 cm
Seat Height :	62 cm
Max. Load :	-
N.W. :	10 kg
G.W. :	10.9 kg
Dim. :	60×25×72 cm
Packing :	1 pc/carton





TWA915L

Overall Height :	78-96cm
Seat Width :	47 cm
Seat Height :	-
Max. Load :	-
N.W. :	5.1 kg
G.W. :	6.2 kg
Dim. :	53×17×81 cm
Packing :	2 pc/carton



TWA917L (S/M/L)

Overall Height :	65-95 cm
Seat Width :	38 cm
Seat Height :	-
Max. Load :	-
N.W. :	5.8 kg
G.W. :	7.8 kg
Dim. :	-
Packing :	4 pc/carton

TWA918L

Overall Height :	78-88 cm
Seat Width :	38 cm
Seat Height :	-
Max. Load :	-
N.W. :	5.6 kg
G.W. :	7.6 kg
Dim. :	96×68×38 cm
Packing :	10 pc/carton



TWA919L

Overall Height :	78-96 cm
Seat Width :	46 cm
Seat Height :	-
Max. Load :	-
N.W. :	4.8 kg
G.W. :	5.8 kg
Dim. :	53×17×81 cm
Packing :	2 pc/carton





TWA961L

Overall Height :	74-92 cm
Seat Width :	44 cm
Seat Height :	43-61 cm
Max. Load :	-
N.W. :	6.7 kg
G.W. :	7.7 kg
Dim. :	51×19×79 cm
Packing :	2 pc/carton



THE965L

Overall Height :	82-101 cm
Seat Width :	44 cm
Seat Height :	56 cm
Max. Load :	-
N.W. :	8.1 kg
G.W. :	8.5 kg
Dim. :	58×33×83 cm
Packing :	1 pc/carton

TWA962

Overall Height :	52-87 cm
Seat Width :	45 cm
Seat Height :	-
Max. Load :	-
N.W. :	8 kg
G.W. :	9.1 kg
Dim. :	62×22×67 cm
Packing :	1 pc/carton



TWA965LH

Overall Height :	78-90 cm
Seat Width :	46 cm
Seat Height :	53 cm
Max. Load :	-
N.W. :	7 kg
G.W. :	8.5 kg
Dim. :	62×24×84 cm
Packing :	1 pc/carton





TWA965LH-1

Overall Height :	78-90 cm
Seat Width :	46 cm
Seat Height :	53 cm
Max. Load :	-
N.W. :	7.4 kg
G.W. :	9 kg
Dim. :	62×24×84 cm
Packing :	1 pc/carton



TWA965LH-B

Overall Height :	78-90 cm
Seat Width :	46 cm
Seat Height :	53 cm
Max. Load :	-
N.W. :	8.8 kg
G.W. :	10.4 kg
Dim. :	61×23×86 cm
Packing :	1 pc/carton

TWA965LH-A

Overall Height :	78-90 cm
Seat Width :	46 cm
Seat Height :	53 cm
Max. Load :	-
N.W. :	7.5 kg
G.W. :	9.1 kg
Dim. :	61×23×86 cm
Packing :	1 pc/carton



TWA965LHF1

Overall Height :	84-92.5 cm
Seat Width :	40 cm
Seat Height :	53 cm
Max. Load :	-
N.W. :	6 kg
G.W. :	7kg
Dim. :	89×36×23 cm
Packing :	-





TWA965LHF5

Overall Height :	86-89 cm
Seat Width :	61 cm
Seat Height :	51 cm
Max. Load :	-
N.W. :	8.5 kg
G.W. :	9.9 kg
Dim. :	50×21.5×89 cm
Packing :	1 pc/carton



TWA965LHF9

Overall Height :	81-95 cm
Seat Width :	62 cm
Seat Height :	50 cm
Max. Load :	-
N.W. :	7.3 kg
G.W. :	9 kg
Dim. :	66×25×83 cm
Packing :	1 pc/carton

TWA965LHF6

Overall Height :	86-96 cm
Seat Width :	61 cm
Seat Height :	51 cm
Max. Load :	-
N.W. :	7.5 kg
G.W. :	8 kg
Dim. :	22.5×50×90 cm
Packing :	1 pc/carton



TWA965LHF10

Overall Height :	81-95 cm
Seat Width :	62 cm
Seat Height :	50 cm
Max. Load :	-
N.W. :	8.5 kg
G.W. :	10.2 kg
Dim. :	66×25×83 cm
Packing :	1 pc/carton





TWA966LH

Overall Height :	80-92 cm
Seat Width :	46 cm
Seat Height :	55 cm
Max. Load :	-
N.W. :	7 kg
G.W. :	8.5 kg
Dim. :	62×24×84 cm
Packing :	1 pc/carton



TWA967L

Overall Height :	79-96 cm
Seat Width :	44 cm
Seat Height :	-
Max. Load :	-
N.W. :	5.2 kg
G.W. :	6.5 kg
Dim. :	57×18×82 cm
Packing :	2 pc/carton

TWA966LH-B

Overall Height :	78-90 cm
Seat Width :	46 cm
Seat Height :	53 cm
Max. Load :	-
N.W. :	6.6 kg
G.W. :	8.2 kg
Dim. :	61×23×86 cm
Packing :	1 pc/carton



TWA969H

Overall Height :	82-97 cm
Seat Width :	38 cm
Seat Height :	-
Max. Load :	-
N.W. :	7.7 kg
G.W. :	9.2 kg
Dim. :	63×25×70 cm
Packing :	1 pc/carton





TWA9104L

Overall Height :	80-94 cm
Seat Width :	-
Seat Height :	-
Max. Load :	136 kg
N.W. :	2.37 kg
G.W. :	2.88 kg
Dim. :	18.5×15.5×86.5 cm
Packing :	1 pc/carton



TWA9124L

Overall Height :	75-82 cm
Seat Width :	34 cm
Seat Height :	-
Max. Load :	-
N.W. :	3.2 kg
G.W. :	4 kg
Dim. :	43×15×76.5 cm
Packing :	2 pc/carton

TWA9123L

Overall Height :	80-100 cm
Seat Width :	72 cm
Seat Height :	-
Max. Load :	-
N.W. :	9.4 kg
G.W. :	11.2 kg
Dim. :	76×19×96 cm
Packing :	2 pc/carton



TWA9125L

Overall Height :	79-97 cm
Seat Width :	44 cm
Seat Height :	-
Max. Load :	-
N.W. :	6 kg
G.W. :	6.9 kg
Dim. :	62×18×84 cm
Packing :	2 pc/carton





TWA9127L

Overall Height :	77-95 cm
Seat Width :	44cm
Seat Height :	-
Max. Load :	-
N.W. :	2.84 kg
G.W. :	3.5 kg
Dim. :	43×41×9 cm
Packing :	1 pc/carton



TWA9131L

Overall Height :	78-96 cm
Seat Width :	46 cm
Seat Height :	-
Max. Load :	-
N.W. :	2.6 kg
G.W. :	5.2 kg
Dim. :	53×17×81 cm
Packing :	2 pc/carton

TWA9128L

Overall Height :	83-93 cm
Seat Width :	44 cm
Seat Height :	-
Max. Load :	-
N.W. :	7 kg
G.W. :	8.1 kg
Dim. :	56×18×70 cm
Packing :	2 pc/carton



TWA9133L

Overall Height :	75-93 cm
Seat Width :	46 cm
Seat Height :	-
Max. Load :	-
N.W. :	4.4 kg
G.W. :	5.3 kg
Dim. :	52×16×79 cm
Packing :	2 pc/carton





TWA9145L

Overall Height :	51-61 cm
Seat Width :	62 cm
Seat Height :	-
Max. Load :	-
N.W. :	2.9 kg
G.W. :	3.9 kg
Dim. :	52.5×22×63 cm
Packing :	2 pc/carton



TWA9610

Overall Height :	110-155 cm
Seat Width :	45 cm
Seat Height :	55 cm
Max. Load :	-
N.W. :	11.9 kg
G.W. :	13.6 kg
Dim. :	75×15×85 cm
Packing :	1 pc/carton

TWA9296

Overall Height :	77-93 cm
Seat Width :	45 cm
Seat Height :	51 cm
Max. Load :	-
N.W. :	9.45 kg
G.W. :	12 kg
Dim. :	60×35×82 cm
Packing :	1 pc/carton



TWA9612

Overall Height :	109-135 cm
Seat Width :	44 cm
Seat Height :	52 cm
Max. Load :	-
N.W. :	9.4 kg
G.W. :	11.8 kg
Dim. :	77×27×97 cm
Packing :	1 pc/carton





TWA9613

Overall Height :	98-118 cm
Seat Width :	51-63 cm
Seat Height :	-
Max. Load :	-
N.W. :	12.9 kg
G.W. :	14.4 kg
Dim. :	82×17×63 cm
Packing :	1 pc/carton



TWA9631L

Overall Height :	73.5-92 cm
Seat Width :	64 cm
Seat Height :	-
Max. Load :	-
N.W. :	2.3 kg
G.W. :	9.2 kg
Dim. :	57×27×76 cm
Packing :	4 pc/carton

TWA9621

Overall Height :	80-105 cm
Seat Width :	46 cm
Seat Height :	54 cm
Max. Load :	-
N.W. :	8.2 kg
G.W. :	9.5 kg
Dim. :	60×18×80 cm
Packing :	1 pc/carton



TWA9632L

Overall Height :	82-100 cm
Seat Width :	44 cm
Seat Height :	-
Max. Load :	-
N.W. :	5.1 kg
G.W. :	6.4 kg
Dim. :	57×19×86 cm
Packing :	2 pc/carton





TWA9671L

Overall Height :	79-96 cm
Seat Width :	44 cm
Seat Height :	-
Max. Load :	-
N.W. :	5.2 kg
G.W. :	6.5 kg
Dim. :	57×18×82 cm
Packing :	2 pc/carton



TWA9862LH

Overall Height :	81-93 cm
Seat Width :	46 cm
Seat Height :	55 cm
Max. Load :	-
N.W. :	7 kg
G.W. :	8.7 kg
Dim. :	75.5×27×84 cm
Packing :	1 pc/carton

TWA9712L

Overall Height :	-
Seat Width :	-
Seat Height :	-
Max. Load :	100 kg
N.W. :	4.15 kg
G.W. :	-
Dim. :	-
Packing :	-





TWA9205L



TWA932L



TWA001 TWA583 TWA925LA TWA925LB TWA936L TWA937L TWA9204L TWA9251L TWA9256L TWA9272LW TWA9280L



TWA9281L TWA9301L-5 TWA9381L TWA911L TWA943L TWA9112L TWA9113L TWA9243L TWA9412L TWA9413L TWA9414L



THE5778

- Carbon steel frame
- Electric lifting
- Turning radius : 110cm
- Max. lifting height of hanger : 166cm
- Min. lowering height of hanger : 45cm



Overall Width :	64 cm	Overall Height :	87 cm	Seat Width :	46 cm
Seat Height :	49 cm	Backrest Height :	-	Max. Load :	100 kg
Front Wheel Dia. :	20 cm	Rear Wheel Dia. :	58 cm	N.W. :	16.7 kg
G.W. :	19 kg	Dim. :	94×23×89 cm		



TCM-01S

- Foot-operated lifting
- 304 stainless-steel construction
- Medical-grade silent casters
- Tube thickness: 1.8mm

Overall Width :	60 cm	Overall Height :	89-109 cm
Seat Width :	45 cm	Seat Height :	46-66 cm
Backrest Height :	-	Max. Load :	150 kg
Front Wheel Dia. :	12.7 cm	Rear Wheel Dia. :	7.62 cm
N.W. :	32.5 kg	G.W. :	35.5 kg
Dim. :			64×47×86.5 cm

TCM-01A

- Multi-functional manual transfer commode chair
- Provides easy assistance for the elderly and disabled
- Supports toileting and patient transfer
- Suitable for multiple scenarios

Overall Width :	47 cm	Overall Height :	94 cm
Seat Width :	46 cm	Seat Height :	47-67 cm
Backrest Height :	-	Max. Load :	120 kg
Front Wheel Dia. :	12.7 cm	Rear Wheel Dia. :	7.62 cm
N.W. :	18 kg	G.W. :	23 kg
Dim. :			72×58.5×33.5 cm





TCM-01D

- Multi-functional manual transfer commode chair
- Easy assistance for elderly and disabled users
- TEnables toileting and patient transfer
- Suitable for diverse application scenarios

Overall Width :	72 cm	Overall Height :	81.5-101.5 cm
Seat Width :	46 cm	Seat Height :	40-60 cm
Backrest Height :	-	Max. Load :	120 kg
Front Wheel Dia. :	12.7 cm	Rear Wheel Dia. :	7.62 cm
N.W. :	23 kg	G.W. :	25 kg
Dim. :			61×33×73.5 cm

TCM-01H

- Multi-functional electric transfer commode chair
- Effortless assistance for the elderly and disabled
- Supports toileting & patient transfer
- Suitable for multiple scenarios

Overall Width :	60 cm	Overall Height	83.5-100.5 cm
Seat Width :	43 cm	Seat Height :	40-57 cm
Backrest Height :	-	Max. Load :	100 kg
Front Wheel Dia. :	12.7 cm	Rear Wheel Dia. :	7.62 cm
N.W. :	27.6 kg	G.W. :	30 kg
Dim. :			60×45×83 cm





TCM-02A

- Carbon-steel frame
- Faux-leather sponge-padded armpit supports
- PVC faux-leather padded backrest
- Hydraulic pump, cast-iron cylinder, 200 mm lifting stroke
- One-piece injection-molded PP commode bucket
- Adjustable lifting frame, max recline 95°

Overall Width :	59 cm	Overall Height :	98-118 cm
Seat Width :	47 cm	Seat Height :	49-69 cm
Backrest Height :	-	Max. Load :	100 kg
Front Wheel Dia. :	7.62 cm	Rear Wheel Dia. :	7.62 cm
N.W. :	40.6 kg	G.W. :	46 kg
Dim. :			87×67×53 cm

TCM-02B

- Carbon-steel frame
- Four 3-inch silent swivel casters with brakes, TPR+nylon housing
- Hydraulic pump: cast-iron cylinder, electroplated ABS housing, carbon-steel support rod, 200 mm lifting stroke

Overall Width :	58 cm	Overall Height :	82-102 cm
Seat Width :	47 cm	Seat Height :	46-66 cm
Backrest Height :	-	Max. Load :	100 kg
Front Wheel Dia. :	7.62 cm	Rear Wheel Dia. :	7.62 cm
N.W. :	22 kg	G.W. :	25 kg
Dim. :			88×63×36 cm





TCM-02C

- Carbon-steel frame
- PVC faux-leather armrests with sponge padding
- Linear actuator, max load 3000N, 24VDC input, 20cm stroke, IPX5 protection, no-load speed 8.3mm/s
- 4000mAh battery, IPX6 protection, with power-level indicator

Overall Width :	58 cm	Overall Height :	98-118 cm
Seat Width :	47 cm	Seat Height :	49-69 cm
Backrest Height :	-	Max. Load :	100 kg
Front Wheel Dia. :	7.62 cm	Rear Wheel Dia. :	7.62 cm
N.W. :	31.5 kg	G.W. :	35.8 kg
Dim. :			87×67×43 cm

TWA203

- Aluminum alloy frame
- Pu armrest cushion

Overall Width :	53-76 cm	Overall Height :	64-70 cm
Seat Width :	-	Seat Height :	-
Backrest Height :	-	Max. Load :	120 kg
Front Wheel Dia. :	-	Rear Wheel Dia. :	-
N.W. :	18 kg	G.W. :	-
Dim. :			59×32×84 cm





TCM-03A

- Carbon-steel frame
- 3-inch swivel casters with PUR+ABS housing and brakes
- Hydraulic pump with cast-iron cylinder, 200mm lifting stroke
- One-piece injection-molded round commode bucket

Overall Width :	54 cm	Overall Height :	87-107 cm
Seat Width :	45 cm	Seat Height :	48-68 cm
Backrest Height :	37 cm	Max. Load :	100 kg
Front Wheel Dia. :	7.62 cm	Rear Wheel Dia. :	7.62 cm
N.W. :	31 kg	G.W. :	34.8 kg
Dim. :			73×62×40 cm

THE5770

- Carbon-steel frame
- Electric lifting
- Turning radius: 116.5cm
- Max. lifting height of hanger: 194.5cm
- Min. lowering height of hanger: 134.5cm

Overall Width :	63 cm	Overall Height :	134-194 cm
Seat Width :	-	Seat Height :	-
Backrest Height :	-	Max. Load :	120 kg
Front Wheel Dia. :	-	Rear Wheel Dia. :	-
N.W. :	46.6 kg	G.W. :	55 kg
Dim. :			123.5×70×35.5 cm





THE5775

- Aluminum-alloy frame
- Electric lifting, 80-100 lifting cycles on full charge
- Turning radius, 107cm
- Hanger max lifting height 140cm, hanger min lowering height 87.5cm
- Powered by 12V/5A lithium-ion battery

Overall Width :	61 cm	Overall Height :	87.5-140 cm
Seat Width :	-	Seat Height :	-
Backrest Height :	-	Max. Load :	120 kg
Front Wheel Dia. :	-	Rear Wheel Dia. :	-
N.W. :	21 kg	G.W. :	25 kg
Dim. :			117×68×48 cm

THE5776

- Carbon-steel frame
- Manual hydraulic lifting
- Turning radius: 110cm
- Hanger maximum lifting height : 172cm
- Minimum lowering height : 80cm

Overall Width :	62 cm	Overall Height :	80-172 cm
Seat Width :	-	Seat Height :	-
Backrest Height :	-	Max. Load :	180 kg
Front Wheel Dia. :	-	Rear Wheel Dia. :	-
N.W. :	39 kg	G.W. :	44 kg
Dim. :			120×65×34 cm





Overall Height :	52 cm
Seat Width :	51 cm
Seat Height :	47 cm
Seat Depth :	30cm
Backrest Height :	-
Max. Load :	100 kg
N.W. :	6.4 kg
G.W. :	7.2 kg
Dim. :	79×19×52 cm
Packing :	2 pc/carton

TBB568S



Overall Height :	78-86 cm
Seat Width :	51 cm
Seat Height :	39-49 cm
Seat Depth :	37 cm
Backrest Height :	37 cm
Max. Load :	100 kg
N.W. :	8.5 kg
G.W. :	10.6 kg
Dim. :	70×56×41.5 cm
Packing :	2 pc/carton

TBB790B



Overall Height :	52 cm
Seat Width :	51 cm
Seat Height :	-
Seat Depth :	37 cm
Backrest Height :	37 cm
Max. Load :	100 kg
N.W. :	8.8 kg
G.W. :	10.6 kg
Dim. :	77×56×38.5 cm
Packing :	2 pc/carton

TBB792



Overall Height :	39-49 cm
Seat Width :	50 cm
Seat Height :	35-45 cm
Seat Depth :	30 cm
Backrest Height :	-
Max. Load :	100 kg
N.W. :	3.6 kg
G.W. :	4.4 kg
Dim. :	60×17×36.5 cm
Packing :	2 pc/carton

TBB794L

Overall Height :	23 cm
Seat Width :	41 cm
Seat Height :	14 cm
Seat Depth :	41 cm
Backrest Height :	-
Max. Load :	100 kg
N.W. :	3.2 kg
G.W. :	3.7 kg
Dim. :	45×27×19 cm
Packing :	2 pc/carton



TBB790

Overall Height :	80 cm
Seat Width :	50 cm
Seat Height :	47 cm
Seat Depth :	30 cm
Backrest Height :	32 cm
Max. Load :	100 kg
N.W. :	7.8 kg
G.W. :	8.8 kg
Dim. :	90×22×51 cm
Packing :	2 pc/carton



TBB791S

Overall Height :	82-91 cm
Seat Width :	49 cm
Seat Height :	49-59 cm
Seat Depth :	37 cm
Backrest Height :	37 cm
Max. Load :	100 kg
N.W. :	8.5 kg
G.W. :	10.6 kg
Dim. :	70×56×41.5 cm
Packing :	2 pc/carton



TBB793S

Overall Height :	18 cm
Seat Width :	41 cm
Seat Height :	-
Seat Depth :	23 cm
Backrest Height :	-
Max. Load :	100 kg
N.W. :	8.1 kg
G.W. :	9.3 kg
Dim. :	83×25×40 cm
Packing :	5 pc/carton



TBB797L



Overall Height :	13.5 cm
Seat Width :	66 cm
Seat Height :	9.5 cm
Seat Depth :	31 cm
Backrest Height :	-
Max. Load :	100 kg
N.W. :	2.8 kg
G.W. :	3.3 kg
Dim. :	32×7×71.5 cm
Packing :	1 pc/carton

TBB799L



Overall Height :	40-50 cm
Seat Width :	38 cm
Seat Height :	40-50 cm
Seat Depth :	38 cm
Backrest Height :	-
Max. Load :	100 kg
N.W. :	8.1 kg
G.W. :	9 kg
Dim. :	57.5×39×25 cm
Packing :	2 pc/carton

TBB7933S

Overall Height :	80-90 cm
Seat Width :	72 cm
Seat Height :	43-53 cm
Seat Depth :	41 cm
Backrest Height :	37 cm
Max. Load :	100 kg
N.W. :	9.3 kg
G.W. :	10.2 kg
Dim. :	77×22×45 cm
Packing :	2 pc/carton



TBB7931

Overall Height :	41 cm
Seat Width :	84-130 cm
Seat Height :	-
Seat Depth :	28 cm
Backrest Height :	33 cm
Max. Load :	100 kg
N.W. :	7.2 kg
G.W. :	8.2 kg
Dim. :	74×42×27 cm
Packing :	2 pc/carton



TBB7954



Overall Height :	85 cm
Seat Width :	48 cm
Seat Height :	51 cm
Seat Depth :	38 cm
Backrest Height :	36 cm
Max. Load :	100 kg
N.W. :	4.7 kg
G.W. :	5.9 kg
Dim. :	104×24×52 cm
Packing :	1 pc/carton

TBB7962L



Overall Height :	84-94 cm
Seat Width :	64 cm
Seat Height :	46-56 cm
Seat Depth :	42 cm
Backrest Height :	38 cm
Max. Load :	100 kg
N.W. :	13 kg
G.W. :	15 kg
Dim. :	70×45×52 cm
Packing :	2 pc/carton

TBB7985L

Overall Height :	88 cm
Seat Width :	44 cm
Seat Height :	48 cm
Seat Depth :	39 cm
Backrest Height :	37 cm
Max. Load :	100 kg
N.W. :	6 kg
G.W. :	7.5 kg
Dim. :	67×29×53 cm
Packing :	1 pc/carton



TBB7964L-W3

Overall Height :	72-85 cm
Seat Width :	53 cm
Seat Height :	41-54 cm
Seat Depth :	37-40 cm
Backrest Height :	35 cm
Max. Load :	100 kg
N.W. :	7.6 kg
G.W. :	8.2 kg
Dim. :	56×52×45 cm
Packing :	2 pc/carton



TBB7991L



TCM6952L

- Aluminum chair frame
- Adjustable headrest
- Flip-up armrest
- Detachable footrest
- Tilting seat
- Solid castors with brake



Overall Width :	88 cm	Overall Height :	105-132 cm
Seat Width :	46 cm	Seat Height :	50 cm
Backrest Height :	45 cm	Max. Load :	100 kg
Front Wheel Dia. :	15 cm	Rear Wheel Dia. :	15 cm
N.W. :	14.4 kg	G.W. :	16.4 kg
Dim. :			86×31×76 cm

TCM823

- Main aluminum-alloy frame
- Commode bucket with lid included
- Flip-up desk armrests
- EVA backrest
- Four 4-inch medical-grade wheels
- Non-toxic & Eco-friendly PU seat cushion and armrests
- 3-level height adjustment, max recline angle: 30°



Overall Width :	57.5 cm	Overall Height :	128.5-154 cm
Seat Width :	51 cm	Seat Height :	56.5-64 cm
Backrest Height :	-	Max. Load :	125 kg
Front Wheel Dia. :	10 cm	Rear Wheel Dia. :	10 cm
N.W. :	21 kg	G.W. :	22 kg
Dim. :			84×64×44 cm



TCM609LBU-52

- Aluminum chair frame
- Fixed footrest
- Fixed armrests
- 22" u-shape commode seat
- Pneumatic mag rear wheels
- PU casters

Overall Width :	64 cm	Overall Height :	91 cm
Seat Width :	52 cm	Seat Height :	48 cm
Backrest Height :	40 cm	Max. Load :	100 kg
Front Wheel Dia. :	20 cm	Rear Wheel Dia. :	40 cm
N.W. :	14 kg	G.W. :	16 kg
Dim. :			80×40×93 cm



TCM609GCU

- Foldable chromed steel frame
- U-shape commode seat
- Reclining high back
- Detachable armrests & Elevating footrests
- Solid casters & Rear wheels

Overall Width :	64 cm	Overall Height :	129 cm
Seat Width :	44 cm	Seat Height :	53 cm
Backrest Height :	79 cm	Max. Load :	100 kg
Front Wheel Dia. :	20 cm	Rear Wheel Dia. :	58 cm
N.W. :	25.6 kg	G.W. :	29.3 kg
Dim. :			107×33×78 cm



TCM609LU

- Foldable aluminum chair frame
- U-shape commode seat
- Fixed armrests & Footrest
- Solid casters
- Pneumatic rear wheels

Overall Width :	68.5 cm	Overall Height :	90 cm
Seat Width :	46 cm	Seat Height :	51 cm
Backrest Height :	39 cm	Max. Load :	100 kg
Front Wheel Dia. :	15 cm	Rear Wheel Dia. :	58 cm
N.W. :	15.2 kg	G.W. :	18.9 kg
Dim. :			94×29×92 cm

TCM609LUF4

- Aluminum chair frame
- Detachable footrest
- Adjustable seat height
- Solid front casters with brake
- Adjustable backrest height
- Solid rear wheels
- Flip-up armrests

Overall Width :	59 cm	Overall Height :	92 cm
Seat Width :	42 cm	Seat Height :	50 cm
Backrest Height :	38 cm	Max. Load :	100 kg
Front Wheel Dia. :	10 cm	Rear Wheel Dia. :	17.5 cm
N.W. :	12.7 kg	G.W. :	14.8 kg
Dim. :			67×60×66 cm





TCM609U

- Foldable chromed steel frame
- U-shape commode seat
- Fixed armrests & Footrest
- Solid casters & Rear wheels

Overall Width :	64 cm	Overall Height :	87 cm
Seat Width :	44 cm	Seat Height :	50 cm
Backrest Height :	37 cm	Max. Load :	100 kg
Front Wheel Dia. :	20 cm	Rear Wheel Dia. :	58 cm
N.W. :	19 kg	G.W. :	21.3 kg
Dim. :			92×29×89 cm

TCM654LGCU

- Aluminum chair frame
- Detachable armrests
- Detachable elevating footrest
- U-shape commode seat
- Pneumatic rear wheels
- Solid casters

Overall Width :	67 cm	Overall Height :	128 cm
Seat Width :	46 cm	Seat Height :	50 cm
Backrest Height :	46 cm	Max. Load :	100 kg
Front Wheel Dia. :	20 cm	Rear Wheel Dia. :	61 cm
N.W. :	21.5 kg	G.W. :	23.5 kg
Dim. :			97×41×86 cm





TCM854

- Iron frame
- Detachable black PVC armrests
- Detachable footrest with plastic footplate
- 5-inch front casters, 5-inch lockable rear casters
- Seat width options : 44/51/56cm

Overall Width :	44/45 cm	Overall Height :	95 cm
Seat Width :	44/51/56 cm	Seat Height :	51 cm
Backrest Height :	-	Max. Load :	120kg
Front Wheel Dia. :	12.5cm	Rear Wheel Dia. :	12.5cm
N.W. :	10 kg	G.W. :	11 kg
Dim. :			57×50×50 cm



TCM697S

- Stainless steel chair frame
- PU commode seat
- Flip-down armrests
- Detachable footrest
- Pedal-locking casters

Overall Width :	54 cm	Overall Height :	96.5 cm
Seat Width :	44 cm	Seat Height :	51 cm
Backrest Height :	39 cm	Max. Load :	100 kg
Front Wheel Dia. :	12.5 cm	Rear Wheel Dia. :	12.5 cm
N.W. :	12.3 kg	G.W. :	13.8 kg
Dim. :			54×52.5×56 cm



TCM863

- Aluminum frame with white liquid-coated finish
- Flip-up pu armrests
- Detachable swivel plastic footrest
- Pu backrest & Seat cushion
- Four seat sizes available: 18"/20"/22"/24"
- 2 silent wheels with brake, 24" quick-release mag wheels

Overall Width :	58 cm	Overall Height :	97-104.5 cm
Seat Width :	46 cm	Seat Height :	52-57.5 cm
Backrest Height :	-	Max. Load :	100 kg
Front Wheel Dia. :	12.5 cm	Rear Wheel Dia. :	12.5 cm
N.W. :	13.5 kg	G.W. :	15 kg
Dim. :			56×60.5×36.5 cm

TCM6981

- Seat board with detachable eva cushion
- Aluminum-alloy frame
- Imported mute plastic casters
- Upturnable armrests
- Usable as toilet booster seat

Overall Width :	60 cm	Overall Height :	100 cm
Seat Width :	53 cm	Seat Height :	54 cm
Backrest Height :	-	Max. Load :	100 kg
Front Wheel Dia. :	7.5 cm	Rear Wheel Dia. :	7.5 cm
N.W. :	8.78 kg	G.W. :	11.8 kg
Dim. :			74×38×60 cm





Footrest



TCM6991

- Waterproof eva seat board & Backrest
- Aluminum-alloy frame
- Imported full-plastic casters, Mute & Waterproof
- Integral foldable design
- Removable pull-out commode bucket

Overall Width :	62 cm	Overall Height :	94 cm
Seat Width :	46 cm	Seat Height :	50 cm
Backrest Height :	-	Max. Load :	100 kg
Front Wheel Dia. :	12.5 cm	Rear Wheel Dia. :	12.5 cm
N.W. :	9.5 kg	G.W. :	10.8 kg
Dim. :			79×32.5×59 cm

TCM7964L-W5

- Aluminum chair frame
- Flip-up armrests
- Flip-up footrest
- Solid casters
- Solid rear wheels with brake

Overall Width :	57 cm	Overall Height :	85 cm
Seat Width :	48 cm	Seat Height :	53 cm
Backrest Height :	35 cm	Max. Load :	125 kg
Front Wheel Dia. :	12.5 cm	Rear Wheel Dia. :	12.5 cm
N.W. :	7.1 kg	G.W. :	8.6 kg
Dim. :			107×32×57 cm





TCM693

Overall Height :	82cm
Seat Width :	44 cm
Seat Height :	47 cm
Seat Depth :	-
Backrest Height :	41 cm
Max. Load :	100 kg
Front Wheel Dia. :	12.5 cm
Rear Wheel Dia. :	12.5 cm
N.W. :	10.5 kg
G.W. :	11.7 kg
Dim. :	60×17×36.5 cm
Packing :	-



TCM813L

Overall Height :	64-74 cm
Seat Width :	49 cm
Seat Height :	38-48 cm
Seat Depth :	44 cm
Backrest Height :	25 cm
Max. Load :	-
N.W. :	4.2 kg
G.W. :	5.7 kg
Dim. :	58×58×37 cm
Packing :	2 pc/carton

TCM696L

Overall Height :	78-88cm
Seat Width :	45 cm
Seat Height :	45-55 cm
Seat Depth :	-
Backrest Height :	33 cm
Max. Load :	100 kg
Front Wheel Dia. :	7.5 cm
Rear Wheel Dia. :	7.5 cm
N.W. :	5.2 kg
G.W. :	6.5 kg
Dim. :	51×22×82 cm
Packing :	-



TCM860

Overall Height :	128cm
Seat Width :	59 cm
Seat Height :	49.8-59.8 cm
Seat Depth :	-
Backrest Height :	-
Max. Load :	272 kg
Front Wheel Dia. :	20 cm
Rear Wheel Dia. :	61 cm
N.W. :	17 kg
G.W. :	18 kg
Dim. :	75×75×52 cm
Packing :	-





TCM893L

Overall Height :	94 cm
Seat Width :	44 cm
Seat Height :	47 cm
Seat Depth :	43 cm
Backrest Height :	38 cm
Max. Load :	-
N.W. :	5.3 kg
G.W. :	6.4 kg
Dim. :	50×19×75 cm
Packing :	1 pc/carton



TCM8945

Overall Height :	56-64.5 cm
Seat Width :	45.5cm
Seat Height :	31-40.5 cm
Seat Depth :	45 cm
Backrest Height :	28 cm
Max. Load :	-
N.W. :	12.6 kg
G.W. :	14.6 kg
Dim. :	80×49×51 cm
Packing :	2 pc/carton

TCM894L

Overall Height :	78-88 cm
Seat Width :	45 cm
Seat Height :	45-55 cm
Seat Depth :	43 cm
Backrest Height :	33 cm
Max. Load :	-
N.W. :	3.5 kg
G.W. :	5 kg
Dim. :	50×23×76 cm
Packing :	1 pc/carton



TCM8992L

Overall Height :	82 cm
Seat Width :	48 cm
Seat Height :	45 cm
Seat Depth :	-
Backrest Height :	40 cm
Max. Load :	-
N.W. :	7.6 kg
G.W. :	8.9 kg
Dim. :	88×30×60 cm
Packing :	6 pc/carton




TRA505


TRA514


TRA517


TRA518


TRA519


TRA577


TRA573


TRA590


TRA560


TRA572


TRA5621


TRA5721



TRA5605S


TRA512


TRA525


TRA525B


TRA525P


TRA532


TRA533


TRA534


TRA535


TRA564


TRA561


TRA579


TRA1005


TRA3080W


TRA5606


TRA5915