



BE Standard Series

The indoor distribution box is a small part of the building's structure, GACIA finds one spot, and focuses on it. Which is tiny and pretty. It can be more beautiful, more professional and safer.

Well designed and Durable

It can opened up to
12,000 without
damage

BE Series

Adopt independent hinge and metal shrapnel structure. It can ensure that when opening and closing the movable door, the force channel is moderate, the rotation is more smooth, and the hinge ring is no different, and the service life of the hinge is increased.

When the movable door is opened to the extreme position, the specially built stainless steel spring plate on the panel is applied to fix it in the desired position.


Technical Information

Product Name	BEP/D Series Distribution Box		
Product Model	4 bits、10 bits、13 bits、16 bits、18 bits、21 bits、24 bits、32 bits、42 bits、63 bits		
	BEP-A 104T、BEP-A 104M、BEP-A 110T、BEP-A 110M、BEP-A 113T、BEP-A 113M、BEP-A 116T、BEP-A 116M、BEP-A 118T、BEP-A 118M、BEP-A 121T、BEP-A 121M、BEP-A 124T、BEP-A 124M、BEP-A 232T、BEP-A 232M、BEP-A 242T、BEP-A 242M、BEP-A 363T、BEP-A 363M BED-A 110T、BED-A 110M、BED-A 113T、BED-A 113M、BED-A 116T、BED-A 116M、BED-A 118T、BED-A 118M、BED-A 121T、BED-A 121M、BED-A 124T、BED-A 124M、BED-A 232T、BED-A 232M、BED-A 242T、BED-A 242M		
Bottom Box Material	Sprayed bottom box: high quality cold rolled steel sheet, with electrostatic sprayed surface. Galvanized bottom box: made of high quality galvanized steel sheet.		
Side Dimension of Single Row Bottom Box	① 4bits170x80mm ② 10~21bits192x80mm ③ 24bits230x90mm		
A Safe Grounding System	The box body is grounded with a standard position ground screw and two auxiliary grounding pieces. The single row has one grounding screw, and the double row and the three row are equipped with two grounding screws.		
Panel Material	The base of the panel and the white movable door are all made of high quality ABS material, and the whole is white. The transparent door is made of high quality PC material.		
Panel Installation Way	Screw fixation		
Installation Way	Embedded installation		
Holder	The internal guide rail bracket is composed of all metal parts, with lifting and rotating adjustment function and pre-suspension function.		
Each Standard Width	18mm(Standard width)		
Cross-Section Size of the Terminals	① 4~24 bits 6x10mm ② 32~42 bits 6.4x12mm ③ 63 bits 8x12mm		
Rated Voltage	~AC400V(±20%)50~60Hz		
Rated Current/Maximum Continuous Input Current	① 55A (4~24 bits) ② 63A (32~42 bits) ③ 80A (63 bits)		
Standard	GB17466.1-2008、GB17466.24-2008		
Protection Level	IP40		


Row number	Bits	Product model	Movable door	Cover size	Cover material			The size of the dark bottom box	Total depth of the whole case(mm)	Cover mounting hole spacing (mm)	Cross-section size of the terminals (mm)	Wiring terminals			Top and bottom of case side knock on the hole	Terminal insulation
				Length*width*thickness	Base Grind arenaceous	white doorGrind arenaceous	Transparent door					PE	N	Pitch-row (mm)		Model
1	4	BEP-A 104	TM	160x190x15.5(27.5)	ABS	ABS	PC	138x170x80x0.8	94.5	89	6x10	4	5	7	2-φ21	BENT1-05
	10	BEP-A 110 BED-A 110	TM	268X210X15.5(27.5)	ABS	ABS	PC	246x192x80x0.8	94.5	197	6x10	8	7	7	2-φ33 3-φ21	BENT2-09
	13	BEP-A 113 BED-A 113	TM	322X210X15.5(27.5)	ABS	ABS	PC	300x192x80x0.8	94.5	251	6x10	8	7	7	2-φ33 4-φ21	BENT2-09
	16	BEP-A 116 BED-A 116	TM	376X210X15.5(27.5)	ABS	ABS	PC	354x192x80x0.8	94.5	305	6x10	8	9	7	2-φ33 5-φ21	BENT2-09
	18	BEP-A 118 BED-A 118	TM	412X210X15.5(27.5)	ABS	ABS	PC	390x192x80x0.8	94.5	341	6x10	11	10	7	2-φ33 2-φ26 4-φ21	BENT3-12
	21	BEP-A 121 BED-A 121	TM	466X210X15.5(27.5)	ABS	ABS	PC	444x192x80x0.8	94.5	395	6x10	11	10	7	2-φ33 2-φ26 6-φ21	BENT3-12
	24	BEP-A 124 BED-A 124	TM	520X250X15.5(27.5)	ABS	ABS	PC	498x230x90x1.0	104.5	449	6x10	13	12	7	2-φ33 2-φ26 6-φ21	M4NT1-13
2	32	BEP-A 232 BED-A 232	TM	376X405X17.5(27.5)	ABS	ABS	PC	354x380x90x1.0	106.5	305	6.4x12	16	15	8	2-φ33 5-φ21	M4NT1-18
	42	BEP-A 242 BED-A 242	TM	466X405X17.5(27.5)	ABS	ABS	PC	444x380x90x1.0	106.5	395	6.4x12	18	17	8	2-φ33 2-φ26 6-φ21	M4NT1-18
3	63	BEP-A 363	TM	483X650X17.5(29.5)	ABS	ABS	PC	453x620x100x1.2	116.5	399	8x12	Double 13	Double 12	8	2-φ41 2-φ26 6-φ21	Double M4NT1-13

Dimensions(mm)


◆ BEP-A 104T/M




◆ BEP-A 110T/M




◆ BEP-A 113T/M




◆ BEP-A 116T/M




◆ BEP-A 118T/M




◆ BEP-A 121T/M




◆ BEP-A 124T/M



◆ BEP-A 232T/M



◆ BEP-A 242T/M



◆ BEP-A 363T/M

